Cement Industry Monolithic Refractories RESCO® PRODUCTS, INC. www.RescoProducts.com

REFRACTORY SELECTIONS

Advantages

Shotcrete application

Buildup management and shotcrete application

Good strength and alkali resistance

High strength, moderate alkali

Good Insulation, installation

versatility, reduced dryout time in two-layer constructions

Build-up management, reduced curing and dryout, pump/shotcrete application

Build-up management, reduced

curing and dryout, Gunite application

Reduced curing and dryout, alkali

Reduced curing and dryout, installation versatility, alkali resistance

Abrasion resistance, reduced curing and dryout, alkali resistance, bonds

to existing refractory

Good strength and abrasion

resistance, Installation versatility,

Good gunned properties

Good insulation and installation

versatility

Alkali and abrasion resistance

PREHEATER TOWER

Alumex
EZ Cubed
Kricon
Patriot
Progun
QuikLite
QuikTurn
R-Max
Rescal
Rescobond
Rescocast

Seneca 60P

Vibrocast

Z-DOL

UPPER CYCLONE

Patriot™ Brick Rescocast® 15GM

RescoGun 45LI

CYCLONE ROOF

EZ Cubed 3000

Rescocast® 15GM

Rescobond 3000G

DUCTS

Patriot™ Brick
Rescocast® 15GM
Rescobond 3000G

DUCTS

EZ Cubed 3000 Patriot™ Brick Rescocast® 15GM

ProGun LC 60G

QuikTurn 60G Rescobond 3000G

LOWER CYCLONE

EZ Cubed 3000 EZ Cubed AZS

QuikTurn 60G

QuikTUrn AZS PC ProGun LC 60G

QuikTurn AZS G

Rescobond 3000G

MEAL CHUTES

EZ Cubed AZS

Rescocast 15GM


RISER DUCT FEED SHELF

EZ Cubed 3000

EZ Cubed AZS

QuikTurn AZS PC


QuikTurn 60PC



QuikTurn AZS G

REFRACTORY SELECTIONS

FIRING HOOD/COOLER REFRACTORY



Brand	Applications	Advantages
Kricon® 32-70	Burner Pipe	High strength and wear resistance
QuikTurn™ 32- 70PC	Impact wall, curbs, burner pipes	Abrasion resistance, reducing curing and dry-out
QuikTurn™ 60G	Firing hood, cooler sidewalls	Reduced curing and dry-out, alkali resistance
QuikTurn™60PC	Curbs, sidewalls and roof	Reduced curing and dry-out, installation versatility and alkali resistance
QuikLite 3	Back-up lining	Good insulation and installation versatility
QuikTurn 60Z PC	Cooler Inlet	Build-up management
R-Max Z PC QT	Cooler impact wall, burner pipe	Build-up management
R-Max PC QT	Cooler Curb	Abrasion resistance, reduced curing and dry-out
R-Max G QT	Tertiary Duct	Abrasion resistance, reduced curing and dry-out

Cement IndustryRotary Kiln Refractory Selections

Alumex
EZ Cubed
Kricon
Patriot
Progun
QuikLite
QuikTurn
R-Max
Rescal


Rescobond

Rescocast

Vibrocast

Z-DOL

Seneca 60P



Brand	Applications	Advantages
Alumex® P-7	Discharge Zone	High strength, alkali resistance
Alumex®P-8	Safety and discharge zones	High strength and chemical resistance
Kricon® 32-70	Nose ring	High strength and wear resistance
Rescal® 70D	Calcining zone	Strong, moderate alkali resistance
QuikTurn™ 32-70PC	Nose Ring	Reduced curing and dryout
QuikTurn™ 60PC	Kiln tail ring	Reduced curing and dry-out, installation versatility and alkali resistance
Rescomag® 85	Transition zone	Good insulating value, spinel-bonding
Rescomag® 92 FMS	Lower transition zone, esp. Adjacent to burning zone	High wear resistance
Seneca® 60P	Upper calcining zone	Alkali resistance
Vibrocast * 60Z PC	Tail Ring	High Strength and alkali resistance and installation versatility
Z-DOL	Sintering Zone	Standard zirconia-enriched dolomite brick



One Robinson Plaza 6600 Steubenville Pike #300 Pittsburgh, PA 15205