

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 01/08/2008 Revision date: 15/03/2024 Supersedes version of: 01/08/2011 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Rescocast 4LI

UFI : 1EW0-V04W-800E-0MCC

CAS-No. : Mixture
Product code : 0331
Product group : Finished Good

Other means of identification : Alumina-Silicate Cement Bonded Castable

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial use Use of the substance/mixture : Refractory

1.2.2. Uses advised againstNo additional information available

1.3. Details of the supplier of the safety data sheet

Resco Products (UK) Limited Newbold Works, Melbourne Road, Lount

LE65 1PL Ashby-de-la-Zouch

England

T 44 (0) 1530 222694

<u>UK.SDS@RescoProducts.com</u> - <u>www.RescoProducts.com</u>

1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Specific target organ toxicity - Repeated exposure, Category 2 H373

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

This product contains Quartz (Fine Fraction) between 0.1 to 10% and is classified as STOT RE 2 according to criteria defined in the Regulation EC 1272/2008 and does not meet the criteria for classification as harmful according to directive 67/548/EC.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

GHS07

Signal word (CLP) : Warning

Contains : cristobalite EU

Hazard statements (CLP) : H373 - May cause damage to organs (respiratory system) through prolonged or repeated

exposure (if inhaled).

Precautionary statements (CLP) : P260 - Do not breathe dust.

P280 - Wear eye protection, protective gloves.

P284 - In case of inadequate ventilation wear respiratory protection.

P314 - Get medical advice/attention if you feel unwell.

2.3. Other hazards

Other hazards which do not result in classification : Irritating to eyes and skin.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component

	Component		
quartz, 1%≤conc respirable crystalline silica<10% This		This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	(14808-60-7)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
	cristobalite EU (14464-46-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
		This substance/mixture does not meet the vPvR criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Calcium Aluminate Cement	CAS-No.: 65997-16-2 EC-No.: 266-045-5	20 – 50	Not classified
quartz, 1%≤conc respirable crystalline silica<10%	CAS-No.: 14808-60-7 EC-No.: 238-878-4	5 – 10	STOT RE 1, H372
cristobalite EU	CAS-No.: 14464-46-1 EC-No.: 238-455-4	1 – 5	STOT RE 2, H373

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Gently wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause cancer by inhalation. Danger of serious damage to health by prolonged

exposure through inhalation.

Symptoms/effects after skin contact : Causes skin irritation. Symptoms/effects after eye contact : Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : In case of fire, all extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering

the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. [In case of inadequate ventilation] wear respiratory protection. Gloves.

Emergency procedures : Do not breathe dust. Avoid contact with skin and eyes.

Measures in case of dust release : Ventilate area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area. On land, sweep or shovel into suitable containers.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimise generation of dust.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Avoid raising

dust. Avoid contact with skin and eyes. Do not breathe dust.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store this product in a dry location where it can be protected from the elements.

Incompatible products : Strong bases. Strong acids.

7.3. Specific end use(s)

No additional information available

15/03/2024 (Revision date) EN (English) 2/7

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)			
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	0.1 mg/m³ (Respirable fraction)		
Belgium - Occupational Exposure Limits			
OEL TWA	0.1 mg/m ³		
France - Occupational Exposure Limits			
VME (OEL TWA)	0.1 mg/m³ (La valeur limite concerne la fraction alvéolaire)		
Netherlands - Occupational Exposure Limits			
TGG-8u (OEL TWA)	0.075 mg/m³ (respirabele fractie)		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA) [1]	0.1 mg/m³		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	0.1 mg/m³		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	0.025 mg/m³ (Respirable fraction)		
cristobalite EU (14464-46-1)			
Belgium - Occupational Exposure Limits			
OEL TWA	0.05 mg/m³		
France - Occupational Exposure Limits			
VME (OEL TWA)	0.05 mg/m³ (La valeur limite concerne la fraction alvéolaire)		
Netherlands - Occupational Exposure Limits			
TGG-8u (OEL TWA)	0.075 mg/m³ (respirabele fractie)		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA) [1]	0.1 mg/m³		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	0.05 mg/m ³		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	0.025 mg/m³ (Respirable fraction)		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide adequate ventilation to minimize dust concentrations.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid Colour : Grey.

Appearance : Granular mixture.
Odour : None.
Odour threshold : Not available

15/03/2024 (Revision date) EN (English) 3/7

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

> 1400 °C Melting point Freezing point Not available Boiling point Not available Flammability Not flammable Lower explosion limit Not applicable Upper explosion limit Not applicable Not applicable Flash point Auto-ignition temperature Not applicable Decomposition temperature Not available ≈ 10.5 pH solution concentration 10 % Not Applicable Viscosity, kinematic Solubility Slightly soluble. Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Not available Vapour pressure at 50°C Not available Density Not available Relative density Not available Relative vapour density at 20°C Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Critical temperature : Not applicable

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Hydraulic setting.

Particle size

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Avoid dust formation.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not available

Additional information : Causes skin irritation.

Calcium	Aluminate	Cement	(65997-16-2)	
----------------	------------------	--------	--------------	--

pH ≤ 13

quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)

pH 6-7

cristobalite EU (14464-46-1)

pH 6-7

Serious eye damage/irritation : Not classified pH: ≈ 10.5

Calcium Aluminate Cement (65997-16-2)

pH ≤ 13

quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)

pH 6-7

15/03/2024 (Revision date) EN (English) 4/7

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

cristobalite EU (14464-46-1)	
рН	6 – 7
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	 May cause damage to organs (respiratory system) through prolonged or repeated exposure (if inhaled).
quartz, 1%≤conc respirable crystalline sili	ca<10% (14808-60-7)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure (if inhaled).
cristobalite EU (14464-46-1)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure (if inhaled).
Aspiration hazard	: Not classified
Rescocast 4LI (Mixture)	
Viscosity, kinematic	Not Applicable
quartz, 1%≤conc respirable crystalline sili	ca<10% (14808-60-7)
Viscosity, kinematic	Not applicable (solid)
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
No additional information available	
11.2.2. Other information Potential adverse human health effects and	. Deced an available data the electification evitoric are not mot
symptoms	: Based on available data, the classification criteria are not met

12.1. Toxicity

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

12.2. Persistence and degradability

Rescocast 4LI (Mixture)		
Persistence and degradability	Not established.	
quartz, 1%≤conc respirable crystalline silica<	10% (14808-60-7)	
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
cristobalite EU (14464-46-1)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
12.3. Bioaccumulative potential		

Rescocast 4LI (Mixture)	
Bioaccumulative potential	Not established.
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	
Bioaccumulative potential No bioaccumulation data available.	
cristobalite EU (14464-46-1)	
Bioaccumulative potential No data available.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878		
12.4. Mobility in soil		
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)		
No data available in the literature		
Low potential for mobility in soil.		
No data quallable		
No data available.		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
No other effects become		
No other effects known		
Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.		
Not applicable Not applicable		
Not applicable		
Not applicable		
Not applicable		
Not applicable Not applicable		
Not applicable		
Not applicable		
Not applicable		
Not appliable		
Not applicable Not applicable		
Not applicable		
Not applicable		
No		
No		
No supplementary information available		

Overland transport
Not applicable
Transport by sea
Not applicable
Air transport
Not applicable

15/03/2024 (Revision date) EN (English) 6/7

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer) Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 25	Diseases resulting from the inhalation of mineral dust containing crystalline silica (quartz, cristobalite, tridymite), crystalline silicates (kaolin, talc), graphite or coal.

Germany

	-	
Employ	vment	restrictions

: Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).

Water hazard class (WGK)

Not classified according to Regulation Governing Systems for Handling Substances Hazardous to Waters (AwSV).

Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

: Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

SZW-lijst van kankerverwekkende stoffen

Calcium Aluminate Cement,quartz, 1%≤conc respirable crystalline silica<10%,cristobalite

SZW-lijst van mutagene stoffen

: Calcium Aluminate Cement is listed

EU are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

None of the components are listed None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling **Denmark**

: None of the components are listed

Danish National Regulations

Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Switzerland

Storage class (LK) : LK 6.1 - Toxic materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information

 Report language name. English. In the event of any conflict between the English and other language versions, the English version shall prevail.

Full text of H- and EUH-statements:	
H372 Causes damage to organs through prolonged or repeated exposure.	
H373	May cause damage to organs through prolonged or repeated exposure.
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

Although reasonable care has been taken in the preparation of the information contained herein, Resco extends no warranties, makes no representation and assumes no responsibilty as to the accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

15/03/2024 (Revision date) EN (English) 7/7