

Product code

Product group

### Rescocast 88VC

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 01/08/2008 Revision date: 10/01/2024 Supersedes version of: 01/08/2011 Version: 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Rescocast 88VC

UFI : 7WW0-W099-300C-Y8NS CAS-No. : Mixture

: Mixture : 0337 : Finished Good

Other means of identification : Alumina-Silicate Cement Bonded Castable

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial use Use of the substance/mixture : Refractory

**1.2.2. Uses advised against**No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Resco Products (UK) Limited

Newbold Works, Melbourne Road, Lount

LE65 1PL Ashby-de-la-Zouch

England

T 44 (0) 1530 222694

<u>UK.SDS@RescoProducts.com</u> - <u>www.RescoProducts.com</u>

#### 1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Specific target organ toxicity - Repeated exposure, Category 2 H373

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

This product contains Quartz (Fine Fraction) between 0.1 to 10% and is classified as STOT RR 2 according to criteria defined in the Regulation EC 1272/2008 and does not meet the criteria for classification as harmful according to directive 67/548/EC.

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS08

GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H373 - May cause damage to organs (respiratory system) through prolonged or repeated

exposure (if inhaled).

Precautionary statements (CLP) : P260 - Do not breathe dust.

P280 - Wear eye protection, protective gloves.

P284 - In case of inadequate ventilation wear respiratory protection.

P314 - Get medical advice/attention if you feel unwell.

### 2.3. Other hazards

Other hazards which do not result in classification : Irritating to eyes and skin.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Contains no FDT and/or VFVD substances 2 0.1 % assessed in accordance with NEACH Annex Ann			
Component			
aluminium oxide, non-fibrous (1344-28-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
cristobalite EU (14464-46-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
quartz, 1%≤conc respirable crystalline silica<10%	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
(14808-60-7)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

-	_	_	-					
-2	-,	- 1	/1 :	V	т	7	es	
	74		ш	А	40			

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Calcium Aluminate Cement	CAS-No.: 65997-16-2 EC-No.: 266-045-5	20 – 50	Not classified
cristobalite EU	CAS-No.: 14464-46-1 EC-No.: 238-455-4	5 – 10	STOT RE 2, H373
aluminium oxide, non-fibrous	CAS-No.: 1344-28-1 EC-No.: 215-691-6	5 – 10	Not classified
quartz, 1%≤conc respirable crystalline silica<10%	CAS-No.: 14808-60-7 EC-No.: 238-878-4	1 – 5	STOT RE 1, H372

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

 Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Wash with plenty of water/....

First-aid measures after eye contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse eyes with water as a precaution.

First-aid measures after ingestion

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.

Symptoms/effects after skin contact Symptoms/effects after eye contact : Causes skin irritation.

: Causes eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : In case of fire, all extinguishing media allowed.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

Explosion hazard : None. Hazardous decomposition products in case of fire : None.

### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering

the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. [In case of inadequate ventilation] wear respiratory protection. Protective

gloves.

Emergency procedures : Do not breathe dust. Avoid contact with skin and eyes. Measures in case of dust release : Ventilate area.

Measures in case of dust release 6.1.2. For emergency responders

Protective equipment

: Equip cleanup crew with proper protection. Use personal protective equipment as required.

For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area. On land, sweep or shovel into suitable containers.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. On land, sweep or shovel into suitable containers.

Minimise generation of dust.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

10/01/2024 (Revision date) EN (English) 2/8

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Do not

handle until all safety precautions have been read and understood. Avoid raising dust. Avoid

contact with skin and eyes. Do not breathe dust.

Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store this product in a dry location where it can be protected from the elements.

Incompatible products Strong bases. Strong acids. Strong acids, bases. Incompatible materials

7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

aluminium oxide non-fibrous (13//-28-1

aluminium oxide, non-fibrous (1344-28-1)				
Belgium - Occupational Exposure Limits				
OEL TWA	1 mg/m³			
France - Occupational Exposure Limits				
VME (OEL TWA)	10 mg/m <sup>3</sup>			
United Kingdom - Occupational Exposure Limits				
WEL TWA (OEL TWA) [1]	10 mg/m³			
	4 mg/m³			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA	1 mg/m³ respirable dust			
cristobalite EU (14464-46-1)				
Belgium - Occupational Exposure Limits				
OEL TWA	0.05 mg/m³			
France - Occupational Exposure Limits				
VME (OEL TWA)	0.05 mg/m³ (La valeur limite concerne la fraction alvéolaire)			
Netherlands - Occupational Exposure Limits				
TGG-8u (OEL TWA)	0.075 mg/m³ (respirabele fractie)			
United Kingdom - Occupational Exposure Limits				
WEL TWA (OEL TWA) [1]	0.1 mg/m <sup>3</sup>			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA	0.025 mg/m³ (Respirable fraction)			
quartz, 1%≤conc respirable crystalline silica<				
EU - Indicative Occupational Exposure Limit (IOEL)				
IOEL TWA	0.1 mg/m³ (Respirable fraction)			
Belgium - Occupational Exposure Limits				
OEL TWA	0.1 mg/m <sup>3</sup>			
France - Occupational Exposure Limits				
VME (OEL TWA)	0.1 mg/m³ (La valeur limite concerne la fraction alvéolaire)			
Netherlands - Occupational Exposure Limits				
TGG-8u (OEL TWA)	0.075 mg/m³ (respirabele fractie)			
United Kingdom - Occupational Exposure Limits				
WEL TWA (OEL TWA) [1]	0.1 mg/m³			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA	0.025 mg/m³ (Respirable fraction)			
8.1.2. Recommended monitoring procedures				

#### 8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

10/01/2024 (Revision date) EN (English) 3/8

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Grey.
Appearance : Granular mixture.
Odour : Earthy Odor.
Odour threshold : Not available

> 1510 °C Melting point Freezing point Not available **Boiling point** Not available Flammability Not flammable Lower explosion limit Not applicable Upper explosion limit Not applicable Flash point Not applicable Auto-ignition temperature Not applicable Decomposition temperature Not available рΗ ≈ 10.5 pH solution concentration 10 %

Not Applicable Viscosity, kinematic Solubility Slightly soluble. Partition coefficient n-octanol/water (Log Kow) Not available Not available Vapour pressure Vapour pressure at 50°C Not available Density Not available Relative density Not available Relative vapour density at 20°C Not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Critical temperature : Not applicable

9.2.2. Other safety characteristics

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Particle size

Hydraulic setting.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Avoid dust formation.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

None.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not available

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

10/01/2024 (Revision date) EN (English) 4/8

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 affect	ded by Negulation (EO) 2020/076
aluminium oxide, non-fibrous (1344-28-1)	
LD50 oral rat	> 15900 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
Skin corrosion/irritation	: Not classified (Conclusive but not sufficient for classification) pH: ≈ 10.5
Additional information	: Causes skin irritation.
Calcium Aluminate Cement (65997-16-2)	
pH	≤ 13
aluminium oxide, non-fibrous (1344-28-1)	
рН	9 – 10.5 (aqueous suspension, 33 %)
cristobalite EU (14464-46-1)	
рН	6 – 7
quartz, 1%≤conc respirable crystalline silic	:a<10% (14808-60-7)
рН	6 – 7
Serious eye damage/irritation	: Not classified (Conclusive but not sufficient for classification) pH: ≈ 10.5
Additional information	: Causes eye irritation
Calcium Aluminate Cement (65997-16-2)	
рН	≤ 13
aluminium oxide, non-fibrous (1344-28-1)	
рН	9 – 10.5 (aqueous suspension, 33 %)
cristobalite EU (14464-46-1)	
рН	6 – 7
quartz, 1%≤conc respirable crystalline silic	:a<10% (14808-60-7)
рН	6 – 7
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Additional information Reproductive toxicity STOT-single exposure STOT-repeated exposure	<ul> <li>: Not classified (Based on available data, the classification criteria are not met)</li> <li>: Not classified (Based on available data, the classification criteria are not met)</li> <li>: Not classified (Conclusive but not sufficient for classification)</li> <li>: May cause cancer by inhalation.</li> <li>: Not classified (Based on available data, the classification criteria are not met)</li> <li>: Not classified (Based on available data, the classification criteria are not met)</li> <li>: May cause damage to organs (respiratory system) through prolonged or repeated exposur (if inhaled). (Based on available data, the classification criteria are not met)</li> </ul>
cristobalite EU (14464-46-1)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure (if inhaled).
quartz, 1%≤conc respirable crystalline silic	:a<10% (1 <mark>4</mark> 808-60-7)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure (if inhaled).
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Rescocast 88VC (Mixture)	
Viscosity, kinematic	Not Applicable
aluminium oxide, non-fibrous (1344-28-1)	
Viscosity, kinematic	Not applicable (solid)
quartz, 1%≤conc respirable crystalline silic	:a<10% (14808-60-7)
Viscosity, kinematic	Not applicable (solid)
11.2. Information on other hazards	

### 11.2. Information on other hazards

# 11.2.1. Endocrine disrupting properties No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2.2.	Other	informat	ion
---------	-------	----------	-----

Potential adverse human health effects and : Based on available data, the classification criteria are not met

symptoms

### **SECTION 12: Ecological information**

-	_	-					т.	
и	v.		П		v		п	п
•	74	п.	_	u	$\Lambda$	ıv	н	•

Ecology - general The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)
EC50 - Crustacea [1]	> 100 mg/l (48 h. Daphnia magna, Literature study)

### 12.2. Persistence and degradability

(escocast 88VC (Mixture)
--------------------------

Persistence and degradability Not established.

#### aluminium oxide, non-fibrous (1344-28-1)

Persistence and degradability	Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

### cristobalite EU (14464-46-1)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

### quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

### 12.3. Bioaccumulative potential

### **Rescocast 88VC (Mixture)**

Bioaccumulative potential Not established.

### aluminium oxide, non-fibrous (1344-28-1)

Bioaccumulative potential No data available.

### **cristobalite EU (14464-46-1)**

No data available. Bioaccumulative potential

### quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)

Bioaccumulative potential No bioaccumulation data available.

### 12.4. Mobility in soil

### aluminium oxide, non-fibrous (1344-28-1)

Surface tension	No data available in the literature
Ecology - soil	No data available.
cristobalite EU (14464-46-1)	

Ecology - soil No data available.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

quartz, 1%≤conc respirable crystalline silica<	10% (14808-60-7)
Surface tension	No data available in the literature
Ecology - soil	Low potential for mobility in soil.
12.5. Results of PBT and vPvB assessment	
Component	
aluminium avida non fibraua (1244 20 1)	This substance/minture does not most the DDT criterie of DTACU regulation, appear VIII

	Component	
	aluminium oxide, non-fibrous (1344-28-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
	cristobalite EU (14464-46-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
	quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information : No other effects known

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials

Dispose in a safe manner in accordance with local/national regulations.

: Not regulated

- Avoid release to the environment.
- HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / RID

### 14.1. UN number or ID number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) Not regulated Proper Shipping Name (IMDG) Not regulated Proper Shipping Name (IATA) Not regulated Proper Shipping Name (RID) Not regulated

### 14.3. Transport hazard class(es)

**ADR** 

HP Code

Transport hazard class(es) (ADR) : Not regulated **IMDG** Transport hazard class(es) (IMDG) : Not regulated IATA Transport hazard class(es) (IATA) : Not regulated

Transport hazard class(es) (RID) 14.4. Packing group

Packing group (ADR) Not regulated Packing group (IMDG) Not regulated Not regulated Packing group (IATA) Packing group (RID) Not regulated

#### 14.5. Environmental hazards

: Dangerous for the environment No Marine pollutant No

Other information No supplementary information available

#### 14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated Air transport

Not regulated

Rail transport

Not regulated

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

10/01/2024 (Revision date) EN (English) 7/8

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

**REACH Annex XIV (Authorisation List)** 

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

**REACH Candidate List (SVHC)** 

Contains no substance(s) listed on the REACH Candidate List

**PIC Regulation (Prior Informed Consent)** 

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

**POP Regulation (Persistent Organic Pollutants)** 

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

**Explosives Precursors Regulation (2019/1148)** 

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

**Drug Precursors Regulation (273/2004)** 

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### France

Occupational diseases	
Code Description	
RG 25	Diseases resulting from the inhalation of mineral dust containing crystalline silica (quartz, cristobalite, tridymite), crystalline silicates (kaolin, talc), graphite or coal.

#### Germany

**Employment restrictions** 

Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).

Water hazard class (WGK)

Not classified according to Regulation Governing Systems for Handling Substances Hazardous to Waters (AwSV).

Hazardous Incident Ordinance (12. BlmSchV)

**Netherlands** 

Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

SZW-lijst van kankerverwekkende stoffen

Calcium Aluminate Cement, cristobalite EU, quartz, 1%≤conc respirable crystalline silica<10% are listed

SZW-liist van mutagene stoffen

SZW-lijst van reprotoxische stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

Calcium Aluminate Cement is listed None of the components are listed

SZW-lijst van reprotoxische stoffen - Ontwikkeling

**Denmark** 

None of the components are listed : None of the components are listed

**Danish National Regulations** 

Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

**Switzerland** 

Storage class (LK) : LK 6.1 - Toxic materials

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Other information

Report language name. English. In the event of any conflict between the English and other language versions, the English version shall prevail.

Full text of H- and EUH-statements:		
H372	Causes damage to organs through prolonged or repeated exposure.	
H373	May cause damage to organs through prolonged or repeated exposure.	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

Although reasonable care has been taken in the preparation of the information contained herein, Resco extends no warranties, makes no representation and assumes no responsibilty as to the accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

10/01/2024 (Revision date) EN (English) 8/8