

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 9/29/2022 Revision date: 9/29/2022 Supersedes: 9/8/2020

SECTION 1: Identification

1.1. Identification

Product form Mixture Product name Adacor 80 Dip CAS-No. Mixture Product code

Other means of identification Alumina-Silicate Wet Air Set Mortar-Slurry

1.2. Recommended use and restrictions on use

Use of the substance/mixture Refractory Recommended use : Industrial use

1.3. Supplier

Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 **United States** 412-494-4491

SDS@RescoProducts.com - WWW.RescoProducts.com

1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation Category 2 Causes skin irritation H315 H320 Serious eye damage/eye irritation Category 2B Causes eye irritation

Carcinogenicity Category 1A H350 May cause cancer (After drying or heating, Inhalation)

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US)

Hazard statements (GHS US) H315 - Causes skin irritation H319 - Causes serious eye irritation

H350 - May cause cancer (After drying or heating, Inhalation)

Precautionary statements (GHS US) P202 - Do not handle until all safety precautions have been read and understood.

P280 - Wear eye protection, protective gloves, protective clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

| o.z. mixtures | | | |
|--|---------------------|---------|-----------------------|
| Name | Product identifier | % | GHS US classification |
| aluminium oxide, non-fibrous | CAS-No.: 1344-28-1 | 50 – 75 | Not classified |
| sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions | CAS-No.: 1344-09-8 | 10 – 20 | Skin Irrit. 2, H315 |
| | | | Eye Irrit. 2B, H320 |
| quartz | CAS-No.: 14808-60-7 | 1 – 5 | Carc. 1A, H350 |
| cristobalite | CAS-No.: 14464-46-1 | 0.5 – 1 | Carc. 1A, H350 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Gently wash with plenty of soap and water. Take off contaminated clothing and wash it before

reuse

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

Symptoms/effects after inhalation : After drying or heating. May cause cancer by inhalation. Danger of serious damage to health by

prolonged exposure through inhalation.

Symptoms/effects after skin contact : Causes skin irritation.
Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : No unsuitable extinguishing media known.

5.2. Specific hazards arising from the chemical

ire hazard : Not flammable.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering

environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : If spilled, may cause the floor to be slippery.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop release.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Plug the leak, cut off the supply.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Avoid contact with skin.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Adacor 80 Dip (Mixture)

No additional information available

9/29/2022 (Revision date) EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| sodium silicate, alkaline 1.6/2.6, 35%≤conc≤5 | 5%, aqueous solutions (1344-09-8) |
|---|--|
| No additional information available | |
| cristobalite (14464-46-1) | |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH OEL TWA | 0.025 mg/m³ respirable dust |
| USA - OSHA - Occupational Exposure Limits | |
| OSHA PEL (TWA) [1] | 0.05 mg/m³ respirable dust |
| aluminium oxide, non-fibrous (1344-28-1) | |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH OEL TWA | 1 mg/m³ respirable dust |
| quartz (14808-60-7) | |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH OEL TWA | 0.025 mg/m³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction) |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Silica, crystalline quartz, respirable dust |
| OSHA PEL (TWA) [1] | 0.05 mg/m³ respirable dust |
| Remark (OSHA) | (3) See Table Z-3. |
| 8.2. Appropriate engineering controls | |
| · · · · · · · · · · · · · · · · · · · | Emergency eye wash fountain with clean water. |
| 8.3. Individual protection measures/Personal Personal protective equipment: | protective equipment |
| Avoid all unnecessary exposure. Hand protection: | |
| Wear protective gloves. | |
| Eye protection: | |
| Chemical goggles or safety glasses | |
| Skin and body protection: | |
| Wear suitable protective clothing | |
| Respiratory protection: | |
| respiratory protection. | |

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

After air drying or heating. Dust when sawing or tear out. Wear appropriate mask

Physical state : Liquid
Appearance : Slurry.
Color : Gray
Odor : earthy

Odor threshold : No data available

Ho data available
PH
Signature
PH
Signature
PH
Signature
Preezing point
Signature
Ph
Signature

9/29/2022 (Revision date) EN (English US) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : ≈ 1.7

Solubility : Moderately soluble in water.

Partition coefficient n-octanol/water (Log Pow) No data available Auto-ignition temperature Not applicable Decomposition temperature No data available Viscosity, kinematic Not Applicable Viscosity, dynamic No data available **Explosion limits** No data available Explosive properties No data available Oxidizing properties No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Air Setting.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

| sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) | | |
|--|---|--------------------------|
| | LD50 oral rat | > 2000 mg/kg (Rat, Oral) |
| | aluminium oxide non-fibrous (1344-28-1) | |

LD50 oral rat > 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))

LC50 Inhalation - Rat > 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))

Skin corrosion/irritation : Causes skin irritation.

pH: > 10

| sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55 | %, aqueous solutions (1344-09-8) |
|--|----------------------------------|
| рН | 11 – 13 |

cristobalite (14464-46-1)

pH 6-7

aluminium oxide, non-fibrous (1344-28-1)

pH 9 – 10.5 (aqueous suspension, 33 %)

quartz (14808-60-7)

pH 6-7

Serious eye damage/irritation : Causes eye irritation.

pH: > 10

9/29/2022 (Revision date) EN (English US) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) | | | |
|--|--|--|--|
| рН | 11 – 13 | | |
| cristobalite (14464-46-1) | | | |
| рН | 6 – 7 | | |
| aluminium oxide, non-fibrous (1344-28-1) | | | |
| рН | 9 – 10.5 (aqueous suspension, 33 %) | | |
| quartz (14808-60-7) | | | |
| рН | 6 – 7 | | |
| | Not classified | | |
| Germ cell mutagenicity | Not classified | | |
| Carcinogenicity : | May cause cancer (After drying or heating, Inhalation). | | |
| quartz (14808-60-7) | | | |
| IARC group | 1 - Carcinogenic to humans | | |
| Reproductive toxicity | Not classified | | |
| STOT-single exposure : STOT-repeated exposure : | Not classified Not classified | | |
| Aspiration hazard | Not classified Not classified | | |
| Viscosity, kinematic | Not Applicable | | |
| aluminium oxide, non-fibrous (1344-28-1) | | | |
| Viscosity, kinematic | Not applicable (solid) | | |
| Potential Adverse human health effects and : | Based on available data, the classification criteria are not met. | | |
| symptoms Symptoms/effects after inhalation : | After drying or heating. May cause cancer by inhalation. Danger of serious damage to health by | | |
| | prolonged exposure through inhalation. Causes skin irritation. | | |
| Symptoms/effects after skin contact Symptoms/effects after eye contact | Causes serious eye irritation. | | |
| SECTION 12: Ecological information | | | |
| 12.1. Toxicity | | | |
| sodium silicate, alkaline 1.6/2.6, 35%≤conc≤ | 55%, aqueous solutions (1344-09-8) | | |
| LC50 - Fish [1] | 210 mg/l (96 h, Brachydanio rerio, Pure substance) | | |
| EC50 - Crustacea [1] | 216 mg/l (96 h, Daphnia magna, Pure substance) | | |
| aluminium oxide, non-fibrous (1344-28-1) | | | |
| LC50 - Fish [1] | > 100 mg/l (96 h, Salmo trutta, Literature study) | | |
| EC50 - Crustacea [1] | > 100 mg/l (48 h, Daphnia magna, Literature study) | | |
| 12.2. Persistence and degradability | | | |
| Adacor 80 Dip (Mixture) Persistence and degradability | Not established. | | |
| sodium silicate, alkaline 1.6/2.6, 35%≤conc≤ | | | |
| Persistence and degradability | Biodegradability: not applicable. | | |
| Chemical oxygen demand (COD) | Not applicable | | |
| ThOD | Not applicable | | |
| BOD (% of ThOD) | Not applicable | | |
| cristobalite (14464-46-1) | | | |
| - · · · · · · · · · · · · · · · · · · · | | | |
| Persistence and degradability | Mineral. Not applicable. | | |
| Chemical oxygen demand (COD) | Not applicable | | |
| Chemical oxygen demand (COD) ThOD | Not applicable Not applicable | | |
| Chemical oxygen demand (COD) ThOD BOD (% of ThOD) | Not applicable | | |
| Chemical oxygen demand (COD) ThOD | Not applicable Not applicable | | |

9/29/2022 (Revision date) EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| aluminium oxide, non-fibrous (1344-28-1) ThOD | Not applicable |
|---|---|
| | Not applicable |
| quartz (14808-60-7) | Not applicable |
| Persistence and degradability Biochemical oxygen demand (BOD) | Not applicable. Not applicable |
| Chemical oxygen demand (COD) | Not applicable Not applicable |
| ThOD | Not applicable |
| 12.3. Bioaccumulative potential | The applicable |
| Adacor 80 Dip (Mixture) | |
| Bioaccumulative potential | Not established. |
| sodium silicate, alkaline 1.6/2.6, 35%≤cor | nc≤55%, aqueous solutions (1344-09-8) |
| Bioaccumulative potential | No bioaccumulation data available. |
| cristobalite (14464-46-1) | |
| Bioaccumulative potential | No data available. |
| aluminium oxide, non-fibrous (1344-28-1) | |
| Bioaccumulative potential | No data available. |
| quartz (14808-60-7) | |
| Bioaccumulative potential | No data available. |
| 12.4. Mobility in soil | |
| sodium silicate, alkaline 1.6/2.6, 35%≤cor | nc≤55%, aqueous solutions (1344-09-8) |
| Ecology - soil | No (test) data on mobility of the component(s) available. |
| cristobalite (14464-46-1) | |
| Ecology - soil | No data available. |
| aluminium oxide, non-fibrous (1344-28-1) | |
| Surface tension | No data available in the literature |
| Ecology - soil | No data available. |
| 12.5. Other adverse effects | |
| Effect on the global warming | : None known |
| Other information | : Avoid release to the environment. |

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

aluminium oxide, non-fibrous (1344-28-1)

Not subject to reporting requirements of the United States SARA Section 313

Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.

15.2. International regulations

CANADA

cristobalite (14464-46-1)

Listed on the Canadian DSL (Domestic Substances List)

9/29/2022 (Revision date) EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| and a table a | 114 - 4 | 4 4 4 6 | 4 40 4 |
|---------------|---------|---------|---------|
| cristoba | iite (| 14464 | 1-4h-11 |

aluminium oxide, non-fibrous (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Yes

No additional information available

National regulations

| quartz | (14808-60-7) | ١ |
|--------|--------------|---|
|--------|--------------|---|

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

| Ada | acor | 80 | Dip | (M | ixture) |
|-----|------|----|-----|----|---------|
| | _ | | | _ | |

U.S. - California - Proposition 65 - Other information
This product contains crystalline silica, a chemical known to the state of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov

cristobalite (14464-46-1)

| Chalobante (14404-40 |)- i <i>)</i> | | | | |
|----------------------|------------------------|-----------------------|-----------------------|---------------------|-------------------|
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk | Maximum allowable |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | level (NSRL) | dose level (MADL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity | Reproductive Toxicity | | |
| _ | | - Female | - Male | | |
| Yes | No | No | No | | |
| quartz (14808-60-7) | | | | | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk | Maximum allowable |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | level (NSRL) | dose level (MADL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity | Reproductive Toxicity | | |
| | | | | | |

- Female

No

| Component | State or local regulations |
|--|--|
| Cristobalite (14464-46-1) | U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous |
| | Substance List; U.S Pennsylvania - RTK (Right to Know) List |
| aluminium oxide, non-fibrous (1344-28-1) | U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous |
| | Substance List; U.S Pennsylvania - RTK (Right to Know) List |
| Quartz (14808-60-7) | U.S New Jersey - Right to Know Hazardous Substance List |

- Male

No

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 09/29/2022

No

Other information : Report language name. English. In the event of any conflict between English and other language

versions, the English version shall prevail.

| | voiciono, the English voicion chan provail. | | | |
|-----------------|---|--|--|--|
| Full text of H- | rases | | | |
| H315 | Causes skin irritation | | | |
| H320 | Causes eye irritation | | | |
| H350 | May cause cancer | | | |

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

9/29/2022 (Revision date) EN (English US) 7/7