

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/15/2015 Revision date: 7/9/2025 Supersedes: 7/29/2022

# **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture
Product name : Andafrac 4201
CAS-No. : Mixture
Product code : 0130

Other means of identification : Alumina-Silicate Mineral

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Refractory Mineral Recommended use : Industrial use

#### 1.3. Supplier

RHI Magnesita

T 412-494-4491

One Robinson Plaza, Suite 300

6600 Steubenville Pike Pittsburgh, PA, 15205 United States

Resco SDS.TDS@rhimagnesita.com - WWW.RescoProducts.com

## 1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

## **SECTION 2: Hazard(s) identification**

#### 2.1. Classification of the substance or mixture

# **GHS-US** classification

Skin corrosion/irritation, Category 2 H315 Causes skin irritation. Serious eye damage/eye irritation, Category 2B H320 Causes eye irritation

Carcinogenicity, Category 1A H350 May cause cancer (Inhalation).

Full text of H-statements: see section 16

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labelling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H315 - Causes skin irritation. H320 - Causes eye irritation

H350 - May cause cancer (Inhalation).

Precautionary statements (GHS US) : P280 - Wear eye protection, protective gloves.

P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P260 - Do not breathe dust.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

No additional information available

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
quartz	CAS-No.: 14808-60-7	20 – 50	Carc. 1A. H350

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First-aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

7/9/2025 (Revision date) EN (English) 1/5

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Gently wash with plenty of soap and water.

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. First-aid measures after ingestion

#### 4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and

symptoms

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation

Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact Causes eye irritation.

# 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

Symptoms/effects after inhalation

# **SECTION 5: Fire-fighting measures**

## 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media In case of fire, all extinguishing media allowed.

## 5.2. Specific hazards arising from the chemical

Fire hazard Not flammable.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions Fight fire with normal precautions from a reasonable distance.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Do not breathe dust. Avoid contact with skin and eyes.

6.1.2. For emergency responders Protective equipment

Equip cleanup crew with proper protection.

**Emergency procedures** Ventilate area. On land, sweep or shovel into suitable containers.

## 6.2. Environmental precautions

No additional information available

# 6.3. Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up On land, sweep or shovel into suitable containers. Minimise generation of dust.

## 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Avoid raising dust.

Avoid contact with skin and eyes. Do not breathe dust.

Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in a dry place

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

quartz (14808-60-7)		
JSA - ACGIH - Occupational Exposure Limits		
ACGIH® TLV® TWA	0.025 mg/m³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV -	
	Adopted Value; Respirable fraction)	
USA - OSHA - Occupational Exposure Limits		
Local name	Silica, crystalline quartz, respirable dust	
OSHA PEL TWA	0.05 mg/m³ respirable dust	
Remark (OSHA)	(3) See Table Z-3.	

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Provide adequate ventilation to minimize dust concentrations.

7/9/2025 (Revision date) EN (English) 2/5

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Granular mixture.
Colour : Off-white
Odour : earthy

Odour threshold : No data available pH : No data available Melting point : > 2000 °F

Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Flash point : No data available
Relative evaporation rate (butylacetate=1) : No data available
Flammability (solid, gas) : Not flammable.
Vapour pressure : No data available
Relative vapour density at 20°C : No data available

Relative density : ≈ 2.9

Solubility Insoluble in water. Partition coefficient n-octanol/water (Log Pow) No data available Auto-ignition temperature No data available Decomposition temperature No data available Viscosity, kinematic Not Applicable Viscosity, dynamic No data available Explosive limits No data available Explosive properties No data available Oxidising properties No data available

# 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

None known.

# 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Avoid dust formation.

# 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

No additional information available

7/9/2025 (Revision date) EN (English) 3/5

# Safety Data Sheet

Effect on global warming

Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
	Not classified Not classified Not classified Causes skin irritation.
quartz (14808-60-7)	
рН	6 – 7
Serious eye damage/irritation :	Causes eye irritation.
quartz (14808-60-7)	
рН	6 – 7
Respiratory or skin sensitisation : Germ cell mutagenicity : Carcinogenicity :	Not classified Not classified May cause cancer (Inhalation).
quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Viscosity, kinematic Likely routes of exposure Potential adverse human health effects and symptoms Symptoms/effects after inhalation	Not classified Not classified Not classified Not classified Not Applicable Inhalation. Harmful: danger of serious damage to health by prolonged exposure through inhalation.  Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation.
Symptoms/effects after skip contact	Causes skin irritation.
Symptoms/effects after skin contact : Symptoms/effects after eye contact :	Causes eye irritation.
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity	
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available	
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability	
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)	Causes eye irritation.
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability	
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability  quartz (14808-60-7)	Causes eye irritation.  Not established.
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability  quartz (14808-60-7)  Persistence and degradability	Not established.  Not applicable.
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability  quartz (14808-60-7)  Persistence and degradability  Biochemical oxygen demand (BOD)	Not established.  Not applicable.  Not applicable
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability  quartz (14808-60-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)	Not applicable  Not applicable  Not applicable
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability  quartz (14808-60-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD	Not established.  Not applicable.  Not applicable
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability  quartz (14808-60-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)	Not applicable  Not applicable  Not applicable
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability  quartz (14808-60-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD	Not applicable  Not applicable  Not applicable
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability  quartz (14808-60-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  12.3. Bioaccumulative potential	Not applicable  Not applicable  Not applicable
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability  quartz (14808-60-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  12.3. Bioaccumulative potential  Andafrac 4201 (Mixture)	Not established.  Not applicable.  Not applicable  Not applicable  Not applicable  Not applicable
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability  quartz (14808-60-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  12.3. Bioaccumulative potential  Andafrac 4201 (Mixture)  Bioaccumulative potential	Not established.  Not applicable.  Not applicable  Not applicable  Not applicable  Not applicable
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability  quartz (14808-60-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  12.3. Bioaccumulative potential  Andafrac 4201 (Mixture)  Bioaccumulative potential  quartz (14808-60-7)  Bioaccumulative potential  12.4. Mobility in soil	Not established.  Not applicable
Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  No additional information available  12.2. Persistence and degradability  Andafrac 4201 (Mixture)  Persistence and degradability  quartz (14808-60-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  12.3. Bioaccumulative potential  Andafrac 4201 (Mixture)  Bioaccumulative potential  quartz (14808-60-7)  Bioaccumulative potential	Not established.  Not applicable

7/9/2025 (Revision date) EN (English) 4/5

: None known

: No other effects known.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations

# **SECTION 14: Transport information**

#### In accordance with DOT / TDG / IMDG / IATA

**Department of Transportation (DOT)** 

In accordance with DOT

Not regulated

**Transportation of Dangerous Goods** 

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

## 15.2. International regulations

#### CANADA

No additional information available

**EU-Regulations** 

No additional information available

**National regulations** 

#### quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

## 15.3. US State regulations

## **Andafrac 4201 (Mixture)**

U.S. - California - Proposition 65 - Other information

This product contains crystalline silica, a chemical known to the state of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov

quartz (14808-60-7)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

Component	State or local regulations
quartz(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 7/9/2025

Other information : Report language name. English. In the event of any conflict between the English and other language versions, the English version shall prevail.

language versions, the English version shall prevail.

Full text of hazar	ull text of hazard classes and H-statements		
H315	Causes skin irritation.		
H320	Causes eye irritation		
H350	May cause cancer.		

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, RHI Magnesita makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

7/9/2025 (Revision date) EN (English) 5/5