

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 06/09/2022 Revision date: 06/09/2022 Supersedes: 08/16/2017

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Blox Stix
CAS-No. : Mixture
Product code : 0141

Other means of identification : Alumina-Silicate Wet Air Set Mortar-Slurry

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Refractory Recommended use : Industrial use

I.3. Supplier

Resco Products. Inc.

One Robinson Plaza, Suite 300

6600 Steubenville Pike

Pittsburgh, PA 15205 - United States

412-494-4491

SDS@RescoProducts.com - WWW.RescoProducts.com

1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation Category 2 H315 Causes skin irritation
Serious eye damage/eye irritation Category 2 H319 Causes serious eye irritation

Carcinogenicity Category 1A H350 May cause cancer (After drying or heating, Inhalation)

Full text of H statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H315 - Causes skin irritation

H319 - Causes serious eye irritation

H350 - May cause cancer (After drying or heating, Inhalation)

Precautionary statements (GHS US) : P202 - Do not handle until all safety precautions have been read and understood.

P280 - Wear eye protection, protective gloves, protective clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions	(CAS-No.) 1344-09-8	50 – 75	Skin Irrit. 2, H315 Eye Irrit. 2B, H320
quartz	(CAS-No.) 14808-60-7	0.5 – 1	Carc. 1A, H350

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Gently wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.

06/09/2022 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and

symptoms
Symptoms/effects after inhalation

: Based on available data, the classification criteria are not met.

·

: After drying or heating. May cause cancer by inhalation. Danger of serious damage to health by

0.025 mg/m³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8

prolonged exposure through inhalation.

Symptoms/effects after skin contact : Causes skin irritation.
Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : No unsuitable extinguishing media known.

5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering

environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : If spilled, may cause the floor to be slippery.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop release.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Plug the leak, cut off the supply.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

Precautions for safe handling : Avoid contact with eyes. Avoid contact with skin.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Blox Stix (Mixture)

sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8)
No additional information available
quartz (14808-60-7)

ACGIH TWA (mg/m³)

USA - ACGIH - Occupational Exposure Limits

n; TLV - Adopted Value; Respirable fraction)		n; TEV - Adopted Value; Respirable fraction)	
USA - OSHA - Occupational Exposure Limits			
Local name Silica, crystalline quartz, respirable dust		Silica, crystalline quartz, respirable dust	
OSHA PEL (TWA) (mg/m³) Remark (OSHA) 0.05 mg/m³ respirable dust (3) See Table Z-3.		0.05 mg/m³ respirable dust	
		(3) See Table Z-3.	

8.2. Appropriate engineering controls

Appropriate engineering controls : Emergency eye wash fountain with clean water.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

06/09/2022 EN (English US) 2/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

After air drying or heating. Dust when sawing or tear out. Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Slurry.Color: GrayOdor: earthy

Odor threshold : Not applicable

рH : > 10 Melting point > 1500 °F ≈ 32 °F Freezing point Boiling point : Not applicable Critical temperature Not applicable Not applicable Critical pressure Flash point Not applicable Relative evaporation rate (butyl acetate=1) Not applicable Relative evaporation rate (ether=1) Not applicable Flammability (solid, gas) None Non flammable.

Vapor pressure : Not applicable
Vapor pressure at 50 °C : Not applicable
Relative vapor density at 20 °C : No data available

Relative density : ≈ 1.4

Solubility : Moderately soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : Not applicable Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic Not Applicable **Explosion limits** Not applicable No data available Explosive properties Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Air Setting.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

No additional information available **10.5. Incompatible materials**

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

06/09/2022 EN (English US) 3/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium silicate, alkaline 1.6/2.6, 35%≤conc≤	55%. aqueous solutions (1344-09-8)		
LD50 oral rat	> 2000 mg/kg (Rat, Oral)		
Skin corrosion/irritation	: Causes skin irritation.		
	pH: > 10		
Serious eye damage/irritation	: Causes serious eye irritation.		
5	pH: > 10		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity Carcinogenicity	: Not classified May square concer (After draing or heating labeleties)		
quartz (14808-60-7)	: May cause cancer (After drying or heating, Inhalation).		
	A. Canaina mania ta humana		
IARC group	1 - Carcinogenic to humans		
Reproductive toxicity STOT-single exposure	: Not classified : Not classified		
STOT-single exposure	: Not classified		
Aspiration hazard	: Not classified		
Viscosity, kinematic	: No data available		
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.		
symptoms			
Symptoms/effects after inhalation	: After drying or heating. May cause cancer by inhalation. Danger of serious damage to health by		
Symptoms/effects after skin contact	prolonged exposure through inhalation. : Causes skin irritation.		
Symptoms/effects after eye contact	: Causes skin irritation. : Causes serious eye irritation.		
SECTION 12: Ecological information	. Sauces somework and management and a second secon		
<u> </u>			
2.1. Toxicity			
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤	55%, aqueous solutions (1344-09-8)		
LC50 fish 1	210 mg/l (96 h, Brachydanio rerio, Pure substance)		
EC50 Daphnia 1	216 mg/l (96 h, Daphnia magna, Pure substance)		
2.2. Persistence and degradability			
Blox Stix (Mixture)			
Persistence and degradability	Not established.		
· · · · · · · · · · · · · · · · · · ·			
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		
quartz (14808-60-7)			
Persistence and degradability	Net applies his		
3 ,	Not applicable.		
Biochemical oxygen demand (BOD)	Not applicable		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
2.3. Bioaccumulative potential			
Blox Stix (Mixture)			
Bioaccumulative potential	Not established.		
'			
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤			
Bioaccumulative potential	No bioaccumulation data available.		
quartz (14808-60-7)			
Bioaccumulative potential	No data available.		
2.4. Mobility in soil			
	EF9/ amusaus palutions (4244 00 9)		
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤			
Ecology - soil	No (test)data on mobility of the component(s) available.		
2.5. Other adverse effects			
Effect on the global warming None known			
Other information	: Avoid release to the environment.		
SECTION 13: Disposal considerations			
3.1. Disposal methods			
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.		
Ecology - waste materials	: Avoid release to the environment.		
06/09/2022	EN (English US)		
LID/LIM/2012	ENTEROUSE US)		

06/09/2022 EN (English US) 4/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

Blox Stix (Mixture)

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Blox Stix (Mixture)		
U.S California - Proposition 65 - Other	This product contains crystalline silica, a chemical known to the state of California to	
information	cause cancer. For more information go to WWW.P65Warnings.ca.gov	

quartz (14808-60-7)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

Component	State or local regulations	
Quartz (14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List	

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 06/09/2022

Other information : Report language name. English. In the event of any conflict between English and other

language versions, the English version shall prevail.

Full text of H-phrases:

•••	tox of it philades.		
	H315	Causes skin irritation	
	H319	Causes serious eye irritation	
	H320	Causes eye irritation	
	H350	May cause cancer	

SDS US (GHS HazCom 2012)

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

06/09/2022 EN (English US) 5/5