

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 1/19/2024 Revision date: 1/19/2024 Supersedes: 9/21/2022

SECTION 1: Identification	
1.1. Identification	
Product form Product name CAS-No. Product code Other means of identification	: Mixture : Maxline 10A : Mixture : 4648 : Resin Bonded, Magnesia-Carbon Brick
1.2. Recommended use and restrictions on	
Use of the substance/mixture Recommended use	: Refractory Brick : Industrial use
1.3. Supplier	
Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 United States 412-494-4491 <u>SDS@RescoProducts.com</u> - <u>WWW.RescoProducts</u>	<u>s.com</u>
1.4. Emergency telephone number	
Emergency number	: EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mixed	ture
GHS US classification Germ cell mutagenicity Category 1B Carcinogenicity Category 1A Full text of H statements : see section 16 2.2. GHS Label elements, including precau	H340 May cause genetic defects H350 May cause cancer
GHS US labeling Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 Danger H340 - May cause genetic defects H350 - May cause cancer P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear Safety shoes, protective clothing, eye protection, protective gloves. P261 - Sawing or tear out operations- Avoid breathing dust.
2.3. Other hazards which do not result in c	
Other hazards which do not result in classification	This product contains minor amounts of materials derived from petroleum and/or coal (such as petroleum pitch and/or coal tar pitch). These materials, in turn, contain compounds, which are carcinogenic. Petroleum pitch contains poly-nuclear aromatic compounds, some of which have been identified as carcinogenic. Based on this, NIOSH has identified petroleum pitch as a carcinogenic material. IARC has reported that there is sufficient evidence for the carcinogenicity of "untreated and mildly refined mineral oils" in humans, but no adequate data is available to evaluate the carcinogenicity of "highly refined mineral oils". Coal tars are by products of the destructive distillation of coal to produce coke and/or gas, and are believed to contain from400-10,000 separate compounds. One important class of compounds present in coal tars is the so-called polycyclic aromatic hydrocarbons (PAHs). While not all PAHs have been determined to be human carcinogens, many have. The NTP Seventh Annual Report on Carcinogens".
2.4. Unknown acute toxicity (GHS US)	
No additional information available SECTION 3: Composition/Information	on ingredients
3.1. Substances	
Not applicable	

Safety Data Sheet

3.2. Mixtures				
Name		Product identifier	%	GHS US classification
Magnesium Oxide		CAS-No.: 1309-48-4	75 – 95	Not classified
graphite		CAS-No.: 7782-42-5	5 – 10	Not classified
Phenolic Resin		CAS-No.: 108-95-2	1 – 5	Not classified
Aluminum - metal powder		CAS-No.: 7429-90-5	1 – 5	Not classified
Coal Tar Pitch		CAS-No.: 65996-93-2	0.5 – 1	Muta. 1B, H340 Carc. 1A, H350
Full text of hazard classes and H-statements : see se	ection 16			
SECTION 4: First-aid measures				
4.1. Description of first aid measures				
First-aid measures general	(show the label whe	re possible).		you feel unwell, seek medical advice
First-aid measures after inhalation		on to breathe fresh air. A	llow the victim t	o rest.
First-aid measures after skin contact		enty of soap and water.		B
First-aid measures after eye contact			several minutes	. Remove contact lenses, if present
First-aid measures after ingestion	and easy to do. Cor : Rinse mouth. Get m		you feel unwel	. Do not induce vomiting.
4.2. Most important symptoms and effects				
Symptoms/effects after inhalation	: May cause cancer the through inhalation.	by inhalation. Danger of s	serious damage	to health by prolonged exposure
Symptoms/effects after skin contact	: Causes skin irritatio			
Symptoms/effects after eye contact	: Causes eye irritation			
4.3. Immediate medical attention and special	al treatment, if nece	ssary		
No additional information available SECTION 5: Fire-fighting measures				
5.1. Suitable (and unsuitable) extinguishing	umedia			
Suitable extinguishing media		nedia appropriate for sur	rounding fire	
Unsuitable extinguishing media	: In case of fire, all ex	tinguishing media allowe	ed.	
5.2. Specific hazards arising from the chem	ical			
Fire hazard	and/or irritating vap		Under fire cond	emicals which can generate toxic litions hazardous combustion
5.3. Special protective equipment and prec	autions for fire-fight	ters		
Firefighting instructions Protection during firefighting	: Fight fire with norma	al precautions from a rea		e. ncluding respiratory protection.
			ive equipment,	ncidding respiratory protection.
SECTION 6: Accidental release measur				
6.1. Personal precautions, protective equip 6.1.1. For non-emergency personnel	ment and emergend	y procedures		
Protective equipment	: Safety shoes. Safet	y glasses. Protective glo	ves.	
6.1.2. For emergency responders				
Protective equipment	: Equip cleanup crew	with proper protection.		
6.2. Environmental precautions				
No. additional information and the				
No additional information available				
6.3. Methods and material for containment				
6.3. Methods and material for containment For containment	: Collect spillage.	chanically recover the pr	oduct.	
6.3. Methods and material for containment For containment Methods for cleaning up	: Collect spillage.	chanically recover the pr	oduct.	
 6.3. Methods and material for containment For containment Methods for cleaning up 6.4. Reference to other sections 	: Collect spillage.	chanically recover the pr	oduct.	
6.3. Methods and material for containment For containment Methods for cleaning up	: Collect spillage.	chanically recover the pr	oduct.	
 6.3. Methods and material for containment For containment Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 	: Collect spillage.	chanically recover the pr	oduct.	
 6.3. Methods and material for containment For containment Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling 	: Collect spillage. : Collect spillage. Me			nd understood. Avoid contact with
 6.3. Methods and material for containment For containment Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 	 Collect spillage. Collect spillage. Me Do not handle until a skin and eyes. Do not 	all safety precautions ha ot breathe Dust when sa her exposed areas with r	ve been read ar wing or tear ou	nd understood. Avoid contact with ater before eating, drinking or
 6.3. Methods and material for containment For containment Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling 	 Collect spillage. Collect spillage. Me Do not handle until a skin and eyes. Do not Wash hands and ott smoking and when 	all safety precautions ha ot breathe Dust when sa her exposed areas with r eaving work.	ve been read ar wing or tear ou	
 6.3. Methods and material for containment For containment Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Hygiene measures 	 Collect spillage. Collect spillage. Me Collect spillage. Me Do not handle until skin and eyes. Do n Wash hands and ot smoking and when any incompatibilitie 	all safety precautions ha ot breathe Dust when sa her exposed areas with r eaving work.	ve been read ar wing or tear ou nild soap and w	ater before eating, drinking or

Safety Data Sheet

Incompatible products	: Strong acids. Oxidizing agent.	
SECTION 8: Exposure controls/persor	hal protection	
8.1. Control parameters		
Maxline 10A (Mixture)		
No additional information available		
Magnesium Oxide (1309-48-4)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 mg/m ³ inhalable dust	
USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1]	10 mg/m ³ respirable dust	
graphite (7782-42-5)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	2 mg/m ³ (Respirable fraction)	
Phenolic Resin (108-95-2)		
No additional information available		
Coal Tar Pitch (65996-93-2) USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	0.2 mg/m ³ (Coal tar pitch volatiles, as benzene soluble aerosol; USA; Time-weighted average	
	exposure limit 8 h; TLV - Adopted Value)	
Aluminum - metal powder (7429-90-5)		
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA	1 ma/m3 (Paonirable fraction)	
8.2. Appropriate engineering controls	1 mg/m ³ (Respirable fraction)	
Appropriate engineering controls	. Dust when cowing or toor out. Drovide adequate ventilation to minimize dust concentrations	
8.3. Individual protection measures/Person	: Dust when sawing or tear out. Provide adequate ventilation to minimize dust concentrations.	
Personal protective equipment:	iai protective equipment	
Avoid all unnecessary exposure.		
Hand protection:		
Wear protective gloves.		
Eye protection:		
Chemical goggles or safety glasses		
Skin and body protection:		
Safety shoes. Wear suitable protective clothing		
Respiratory protection:		
Dust when sawing or tear out. Wear appropriate m	lask	
SECTION 9: Physical and chemical pro	operties	
9.1. Information on basic physical and che	9.1. Information on basic physical and chemical properties	
Physical state	: Solid	
Appearance Color	: Solid in various shapes. : Black	
Odor	: Resin Odor	
Odor threshold	: No data available	
pH Melting point	: No data available : > 2800 °F	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point Relative evaporation rate (butyl acetate=1)	: No data available : No data available	
Flammability (solid, gas)	: Non flammable.	
Vapor pressure	: No data available	
Relative vapor density at 20°C Relative density	: No data available : ≈ 2.9	
Solubility	: Insoluble in water.	
Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature	: No data available : No data available	

Safety Data Sheet

Decomposition temperature : Viscosity, kinematic :	No data available No data available		
Viscosity, dynamic :	No data available		
Explosion limits :	No data available		
Explosive properties : Oxidizing properties :	No data available No data available		
9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
	s include carbon monoxide, carbon dioxide, and hydrocarbon vapors.		
0.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardous reactions			
No additional information available			
10.4. Conditions to avoid			
No additional information available			
10.5. Incompatible materials			
No additional information available			
10.6. Hazardous decomposition products			
No additional information available			
SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity (oral) : Acute toxicity (dermal) :	Not classified Not classified		
Acute toxicity (inhalation)	Not classified		
Magnesium Oxide (1309-48-4)			
LD50 oral rat	> 5000 mg/kg (Rat, Literature study, Oral)		
LD50 dermal rabbit	> 2000 mg/kg body weight (Rabbit, Literature study, Dermal)		
graphite (7782-42-5)			
LD50 oral rat	> 2000 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)		
LC50 Inhalation - Rat	> 2000 mg/m³ air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))		
Coal Tar Pitch (65996-93-2)			
LD50 oral rat	> 15000 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)		
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)		
Skin corrosion/irritation :	Not classified		
Magnesium Oxide (1309-48-4)			
рН	11 (10 %)		
graphite (7782-42-5)			
рН	7 (1.3 %)		
Serious eye damage/irritation :	Not classified		
Magnesium Oxide (1309-48-4)			
рН	11 (10 %)		
graphite (7782-42-5)			
рН	7 (1.3 %)		
Respiratory or skin sensitization :	Not classified		
	May cause genetic defects.		

Safety Data Sheet

Carcinogenicity	· May cause cancer
Carcinogenicity Phenolic Resin (108-95-2)	: May cause cancer.
IARC group	3 - Not classifiable
Coal Tar Pitch (65996-93-2)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity STOT-single exposure	: Not classified : Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard Viscosity, kinematic	: Not classified : No data available
Magnesium Oxide (1309-48-4)	
Viscosity, kinematic	Not applicable (solid)
Symptoms/effects after inhalation	: May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.
Symptoms/effects after skin contact Symptoms/effects after eye contact	: Causes skin irritation. : Causes eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
graphite (7782-42-5)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Behaviour)
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
EC50 72h - Algae [2]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Cell numbers)
Coal Tar Pitch (65996-93-2)	
LC50 - Fish [1]	128 mg/l (LL50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pagrus major; Semi-static system; Salt water; Experimental value)
EC50 - Crustacea [1]	> 100 mg/l (EL50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
LC50 - Fish [2]	100-1000,LL50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oryzias latipes; Semi-static system; Fresh water; Experimental value
Threshold limit - Algae [1]	220 mg/l (EL50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Experimental value)
12.2. Persistence and degradability	
Magnesium Oxide (1309-48-4)	
Persistence and degradability	Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
graphite (7782-42-5)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Coal Tar Pitch (65996-93-2)	
Persistence and degradability	No test data available. Adsorbs into the soil.
Aluminum - metal powder (7429-90-5)	
Persistence and degradability	Biodegradability in soil: not applicable.

Safety Data Sheet

Aluminum - metal powder (7429-90-5)			
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		
12.3. Bioaccumulative potential			
Magnesium Oxide (1309-48-4)			
Bioaccumulative potential	No bioaccumulation data available.		
graphite (7782-42-5)	graphite (7782-42-5)		
Bioaccumulative potential	Not bioaccumulative.		
Coal Tar Pitch (65996-93-2)	Coal Tar Pitch (65996-93-2)		
Bioaccumulative potential	No test data available.		
Aluminum - metal powder (7429-90-5)			
Bioaccumulative potential	No test data of component(s) available		
12.4. Mobility in soil	·		
Magnesium Oxide (1309-48-4)			
Surface tension	No data available in the literature		
Ecology - soil	No data available.		
Coal Tar Pitch (65996-93-2)			
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	Koc,12600-800000; Calculated value; I	og Koc; 4.1-5.9; Calculated value	
Aluminum - metal powder (7429-90-5)			
Ecology - soil	Contains component(s) that adsorb(s)	into the soil.	
12.5. Other adverse effects			
No additional information available SECTION 13: Disposal considerations			
13.1. Disposal methods			
	Do not discharge into the sewer.		
SECTION 14: Transport information			
In accordance with DOT / TDG / IMDG / IATA Department of Transportation (DOT) In accordance with DOT Not regulated Transportation of Dangerous Goods Not regulated Transport by sea Not regulated Air transport Not regulated			
SECTION 15: Regulatory information			
15.1. US Federal regulations			
Maxline 10A (Mixture)			
Note	This information must be included in all	SDS's that are copied and distributed for this material.	
All components of this product are present and listed a (TSCA) inventory, except for:	s Active on the United States Environme	ntal Protection Agency Toxic Substances Control Act	
Aluminum - metal powder	CAS-No. 7429-90-5	1 – 5%	
· · · · · · · · · · · · · · · · · · ·		•	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Phenolic Resin (108-95-2)			
Subject to reporting requirements of United States SAF	RA Section 313		
	Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ	1000 lb		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb		
SARA Section 302 Threshold Planning Quantity	10000 lb 500lb if the substance is solid in powder form with particle size less than 100 microns,		
(TPQ)	or is in solution or molten form		
15.2. International regulations			
CANADA			
Magnesium Oxide (1309-48-4)			
Listed on the Canadian DSL (Domestic Substances Lis	st)		
graphite (7782-42-5)			
Listed on the Canadian DSL (Domestic Substances Lis	st)		
Phenolic Resin (108-95-2)			
Listed on the Canadian DSL (Domestic Substances Lis	st)		
	~,		
Coal Tar Pitch (65996-93-2)			
Listed on the Canadian DSL (Domestic Substances Lis	st)		
EU-Regulations			
No additional information available			
National regulations			
Coal Tar Pitch (65996-93-2)			
Listed on IARC (International Agency for Research on	Cancer)		
15.3. US State regulations			
Maxline 10A (Mixture)			
U.S California - Proposition 65 - Other information	This product contains coal tar pitch, a chemical known to the State of California to cause		
·	cancer. For more information go to WWW.P65Warnings.ca.gov		
Component	State or local regulations		
Magnesium Oxide (1309-48-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous		
	Substance List; U.S Pennsylvania - RTK (Right to Know) List		
Graphite (7782-42-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous		
	Substance List; U.S Pennsylvania - RTK (Right to Know) List		
Phenolic Resin (108-95-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous		
	Substance List; U.S Pennsylvania - RTK (Right to Know) List		
Coal Tar Pitch (65996-93-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous		
	Substance List		
SECTION 16: Other information			
according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations			
Revision date :	1/19/2024		
Other information :	Report language name. English. In the event of any conflict between English and other language		
	versions, the English version shall prevail.		

Full text of H-phra	ses
H340	May cause genetic defects
H350	May cause cancer

Safety Data Sheet (SDS), USA This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.