

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/17/2023 Revision date: 5/17/2023 Supersedes: 11/25/2020

SECTION 1: Identification			
1.1. Identification			
Product form Product name CAS-No. Product code Other means of identification	: Mixture : MonoGun 90 : Mixture : 0987 : Alumina-Silicate Cement Bonded Castable		
1.2. Recommended use and restrictions or	i use		
Use of the substance/mixture Recommended use	: Refractory : Industrial use		
1.3. Supplier			
Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 United States 412-494-4491 SDS@RescoProducts.com - WWW.RescoProducts	<u>.com</u>		
1.4. Emergency telephone number			
Emergency number	: EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970		
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mix	ture		
GHS US classification Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B Carcinogenicity Category 1A Full text of H statements : see section 16	H315Causes skin irritationH320Causes eye irritationH350May cause cancer (Inhalation)		
2.2. GHS Label elements, including precau	tionary statements		
GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	: Danger H215 Courses skin irritation		
Precautionary statements (GHS US)	 H315 - Causes skin irritation H320 - Causes eye irritation H350 - May cause cancer (Inhalation) P280 - Wear eye protection, Dust respirator, protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P260 - Do not breathe dust. 		
2.3. Other hazards which do not result in c	lassification		
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
No additional information available			
SECTION 3: Composition/Information	on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name	Product identifier % GHS US classification		
aluminium oxide, non-fibrous Calcium Aluminate Cement	CAS-No.: 1344-28-1 50 – 75 Not classified CAS-No.: 65997-16-2 5 – 10 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Eye Irrit. 2B, H320		
quartz Full text of hazard classes and H-statements : see :	CAS-No.: 14808-60-7 1 – 5 Carc. 1A, H350		

Safety Data Sheet

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice
First-aid measures after inhalation	(show the label where possible).Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Gently wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
First-aid measures after ingestion	and easy to do. Continue rinsing.Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects	
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms	
Symptoms/effects after inhalation	: May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure
Comparison of the star of the solid south of	through inhalation.
Symptoms/effects after skin contact Symptoms/effects after eye contact	: Causes skin irritation. : Causes eye irritation.
4.3. Immediate medical attention and spec	•
No additional information available	······································
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishin	
Suitable extinguishing media Unsuitable extinguishing media	 Use extinguishing media appropriate for surrounding fire. In case of fire, all extinguishing media allowed.
5.2. Specific hazards arising from the cher	
Fire hazard	: Not flammable.
5.3. Special protective equipment and pred	
Firefighting instructions	: Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering
	environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measu	res
6.1. Personal precautions, protective equip	oment and emergency procedures
6.1.1. For non-emergency personnel	De antikenstike dast. Assidensteriteriteriteri
Emergency procedures 6.1.2. For emergency responders	: Do not breathe dust. Avoid contact with skin and eyes.
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area. On land, sweep or shovel into suitable containers.
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	
6.3. Methods and material for containment	and cleaning up
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Minimize generation of dust.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal pro	ptection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Avoid raising dust.
Hygiene measures	 Avoid contact with skin and eyes. Do not breathe dust. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including	
Storage conditions	: Store this product in a dry location where it can be protected from the elements.
Incompatible products	: Strong bases. Strong acids.
SECTION 8: Exposure controls/persor	nal protection
8.1. Control parameters	
MonoGun 90 (Mixture)	
No additional information available	

Safety Data Sheet

Calcium Aluminate Cement (65997-16-2)	
No additional information available	
aluminium oxide, non-fibrous (1344-28-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	1 mg/m ³ respirable dust
quartz (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.025 mg/m ³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)
USA - OSHA - Occupational Exposure Limits	
Local name	Silica, crystalline quartz, respirable dust
OSHA PEL (TWA) [1]	0.05 mg/m ³ respirable dust
Remark (OSHA)	(3) See Table Z-3.
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Provide adequate ventilation to minimize dust concentrations.
8.3. Individual protection measures/Person Personal protective equipment: Avoid all unnecessary exposure.	nal protective equipment
Hand protection:	
Wear protective gloves.	
Eye protection:	
Chemical goggles or safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
Wear appropriate mask	
Other information: Do not eat, drink or smoke during use.	
SECTION 9: Physical and chemical pro	operties
9.1. Information on basic physical and che	mical properties
Physical state Appearance	: Solid : Granular mixture.
Color	: Off-white
Odor	: earthy
Odor threshold pH	: No data available : No data available
Melting point	\sim 2500 °F
Freezing point	: No data available
Boiling point	: No data available
Flash point Balative eveneration rate (buth/ acctate=1)	: No data available
Relative evaporation rate (butyl acetate=1) Flammability (solid, gas)	: No data available : Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Slightly soluble.
Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature	: No data available : No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: Not Applicable
Viscosity, dynamic	: No data available
Explosion limits	: No data available

Safety Data Sheet

Explosive properties Oxidizing properties	: No data available : No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Hydraulic setting.	
10.2. Chemical stability	
Stable under normal conditions of use.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Avoid dust formation.	
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Toxicological information	1
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified
aluminium oxide, non-fibrous (1344-28-1)	
LD50 oral rat	> 15000 mg/kg body weight (Equivalent or similar to OECD 401. Bat Male (female
	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
Skin corrosion/irritation	: Causes skin irritation.
Calcium Aluminate Cement (65997-16-2)	
рН	≤ 13
aluminium oxide, non-fibrous (1344-28-1)	
рН	9 – 10.5 (aqueous suspension, 33 %)
quartz (14808-60-7)	
рН	6 - 7
Serious eye damage/irritation	: Causes eye irritation.
Calcium Aluminate Cement (65997-16-2)	
рН	≤ 13
aluminium oxide, non-fibrous (1344-28-1)	
pH	9 – 10.5 (aqueous suspension, 33 %)
quartz (14808-60-7)	
pH	6 - 7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer (Inhalation).
quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

Safety Data Sheet

,	
STOT-repeated exposure :	Not classified
Aspiration hazard	Not classified
	Not Applicable
aluminium oxide, non-fibrous (1344-28-1)	
Viscosity, kinematic	Not applicable (solid)
	Based on available data, the classification criteria are not met.
symptoms Symptoms/effects after inhalation :	May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure
	through inhalation.
Symptoms/effects after skin contact :	Causes skin irritation.
Symptoms/effects after eye contact :	Causes eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
aluminium oxide, non-fibrous (1344-28-1)	
LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)
EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)
12.2. Persistence and degradability	
MonoGun 90 (Mixture)	
Persistence and degradability	Not established.
aluminium oxide, non-fibrous (1344-28-1)	
Persistence and degradability	Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
quartz (14808-60-7)	
Persistence and degradability	Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
12.3. Bioaccumulative potential	
MonoGun 90 (Mixture)	
Bioaccumulative potential	Not established.
aluminium oxide, non-fibrous (1344-28-1) Bioaccumulative potential	No dete susileble
	No data available.
quartz (14808-60-7)	Mandata ana Sabla
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
aluminium oxide, non-fibrous (1344-28-1)	
Surface tension	No data available in the literature
Ecology - soil	No data available.
12.5. Other adverse effects	
	None known
SECTION 13: Disposal considerations	
13.1. Disposal methods	
	Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : SECTION 14: Transport information	Avoid release to the environment.
In accordance with DOT / TDG / IMDG / IATA	
Department of Transportation (DOT)	
In accordance with DOT	
Not regulated	
Transportation of Dangerous Goods Not regulated	
Transport by sea	
Not regulated	
Air transport	
Not regulated	
-	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

a house by house a second of a second of the			
aluminium oxide, non-fibro			
Not subject to reporting requirem			
Note	Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.		
15.2. International regulation	ns		
CANADA			
Calcium Aluminate Cement	t (65997-16-2)		
Listed on the Canadian DSL (Do	mestic Substances Lis	st)	
aluminium oxide, non-fibrous (1344-28-1)			
Listed on the Canadian DSL (Domestic Substances List)			
EU-Regulations			
No additional information availabl	e		
National regulations			
quartz (14808-60-7)			
Listed on IARC (International Ag	ency for Research on	Cancer)	
15.3. US State regulations			
MonoGun 90 (Mixture)			
U.S California - Proposition 65	- Other information	This product contains crystalline silica, a chemical known to the state of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov	

quartz (14808-60-7)		LLC California			Marrier alleviable
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity		
		- Female	- Male		
Yes	No	No	No		
0		0			
Component		State or local regulations			
aluminium oxide, non-fibrous (1344-28-1)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous			
		Substance List; U.S	Pennsylvania - RTK (Rig	ght to Know) List	
Quartz (14808-60-7)		U.S New Jersey - Right to Know Hazardous Substance List			
SECTION 16: Othe	r information				
according to Federal Reg	gister / Vol. 77, No. 58 / Monda	ay, March 26, 2012 / Rule	es and Regulations		
Revision date	date : 5/17/2023				
Other information		: Report language name. English. In the event of any conflict between English and other language versions, the English version shall prevail.			

Full text of H-phrases	
H315	Causes skin irritation
H320	Causes eye irritation
H350	May cause cancer
Safaty Data Sheet (SDS) 1154	

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.