

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/17/2023 Revision date: 5/17/2023 Supersedes: 11/25/2020

SECTION 1: Identification				
1.1. Identification				
Product form Product name CAS-No. Product code	: Article : N-2 : Mixture : 4925 : Alumina-Silicate Fire	ed Shape		
1.2. Recommended use and restrictions on u		·		
Recommended use 1.3. Supplier	: Refractory : Industrial use			
Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 United States 412-494-4491 SDS@RescoProducts.com - WWW.RescoProducts.com	om			
1.4. Emergency telephone number				10.4 0000
Emergency number		Y (CHEMTREC) USA & ada +1 703-741-5970	Canada 1-800-4	424-9300
SECTION 2: Hazard(s) identification				
2.1. Classification of the substance or mixtu	re			
GHS US classification Not classified				
2.2. GHS Label elements, including precaution	onary statements			
This product meets the definition and criteria for an arr regulations. No labeling obligation.	ticle according to OSH	A 29 CFR 1910.1200 an	nd the EU REAC	H 1907/2006 Article 3(3)
2.3. Other hazards which do not result in cla	ssification			
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
No additional information available				
SECTION 3: Composition/Information or	n ingredients			
3.1. Substances				
Not applicable				
Not applicable 3.2. Mixtures				
		Product identifier	%	GHS US classification
3.2. Mixtures		CAS-No.: 14464-46-1	20 – 50	GHS US classification Carc. 1A, H350
3.2. Mixtures Name cristobalite aluminium oxide, non-fibrous				
3.2. Mixtures Name cristobalite	tion 16	CAS-No.: 14464-46-1	20 – 50	Carc. 1A, H350
3.2. Mixtures Name cristobalite aluminium oxide, non-fibrous Full text of hazard classes and H-statements : see see	ction 16	CAS-No.: 14464-46-1	20 – 50	Carc. 1A, H350
3.2. Mixtures Name cristobalite aluminium oxide, non-fibrous Full text of hazard classes and H-statements : see see SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	: Never give anything : Allow affected perso : Gently wash with ple : IF IN EYES: Rinse of	CAS-No.: 14464-46-1 CAS-No.: 1344-28-1 by mouth to an unconso on to breathe fresh air. enty of soap and water. cautiously with water for	20 – 50 1 – 5 cious person.	Carc. 1A, H350
3.2. Mixtures Name cristobalite aluminium oxide, non-fibrous Full text of hazard classes and H-statements : see see SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures general First-aid measures after inhalation First-aid measures after eye contact	 Never give anything Allow affected perso Gently wash with ple 	CAS-No.: 14464-46-1 CAS-No.: 1344-28-1 by mouth to an unconso on to breathe fresh air. enty of soap and water. cautiously with water for tinue rinsing.	20 – 50 1 – 5 cious person.	Carc. 1A, H350 Not classified
3.2. Mixtures Name cristobalite aluminium oxide, non-fibrous Full text of hazard classes and H-statements : see see SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures general First-aid measures after inhalation First-aid measures after eye contact	 Never give anything Allow affected perso Gently wash with ple IF IN EYES: Rinse of and easy to do. Con Rinse mouth. Do no 	CAS-No.: 14464-46-1 CAS-No.: 1344-28-1 by mouth to an unconso on to breathe fresh air. enty of soap and water. cautiously with water for tinue rinsing. t induce vomiting.	20 – 50 1 – 5 cious person.	Carc. 1A, H350 Not classified
3.2. Mixtures Name cristobalite aluminium oxide, non-fibrous Full text of hazard classes and H-statements : see see SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures general First-aid measures after inhalation First-aid measures after eye contact First-aid measures after ingestion 4.2. Most important symptoms and effects (at the second secon	 Never give anything Allow affected perso Gently wash with ple IF IN EYES: Rinse of and easy to do. Con Rinse mouth. Do no acute and delayed) May cause cancer b 	CAS-No.: 14464-46-1 CAS-No.: 1344-28-1 by mouth to an unconse on to breathe fresh air. enty of soap and water. cautiously with water for tinue rinsing. t induce vomiting.	20 – 50 1 – 5 cious person. several minutes.	Carc. 1A, H350 Not classified
 3.2. Mixtures Name cristobalite aluminium oxide, non-fibrous Full text of hazard classes and H-statements : see see SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures general First-aid measures after inhalation First-aid measures after eye contact First-aid measures after ingestion 4.2. Most important symptoms and effects (a Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after skin contact 	 Never give anything Allow affected perso Gently wash with ple IF IN EYES: Rinse of and easy to do. Con Rinse mouth. Do no acute and delayed) May cause cancer b through inhalation. Irritation. 	CAS-No.: 14464-46-1 CAS-No.: 1344-28-1 by mouth to an unconse on to breathe fresh air. enty of soap and water. cautiously with water for tinue rinsing. t induce vomiting.	20 – 50 1 – 5 cious person. several minutes. serious damage	Carc. 1A, H350 Not classified Remove contact lenses, if present

No additional information available

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing m	nedia
Suitable extinguishing media :	Use extinguishing media appropriate for surrounding fire. In case of fire, all extinguishing media allowed.
5.2. Specific hazards arising from the chemica	al
Fire hazard :	Non-flammable.
5.3. Special protective equipment and precaut	tions for fire-fighters
	Exercise caution when fighting any chemical fire.
	Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measures	
6.1. Personal precautions, protective equipme	ent and emergency procedures
6.1.1. For non-emergency personnel No additional information available	
6.1.2. For emergency responders	
· ·	Use personal protective equipment as required.
6.2. Environmental precautions	
No additional information available	
6.3. Methods and material for containment an	
Methods for cleaning up : 6.4. Reference to other sections	Collect spillage.
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling Precautions for safe handling :	No additional information available.
7.2. Conditions for safe storage, including an	
	Store this product in a dry location where it can be protected from the elements.
SECTION 8: Exposure controls/personal	
8.1. Control parameters	
N-2 (Mixture)	
No additional information available	
cristobalite (14464-46-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.025 mg/m ³ respirable dust
USA - OSHA - Occupational Exposure Limits	
OSHA PEL (TWA) [1]	0.05 mg/m ³ respirable dust
aluminium oxide, non-fibrous (1344-28-1)	
aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	
	1 mg/m ³ respirable dust
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 8.2. Appropriate engineering controls	1 mg/m ³ respirable dust
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 8.2. Appropriate engineering controls Appropriate engineering controls	Dust on tear out. Provide adequate ventilation to minimize dust concentrations.
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Personal	Dust on tear out. Provide adequate ventilation to minimize dust concentrations.
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 8.2. Appropriate engineering controls Appropriate engineering controls	Dust on tear out. Provide adequate ventilation to minimize dust concentrations.
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Personal Personal protective equipment:	Dust on tear out. Provide adequate ventilation to minimize dust concentrations.
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Personal Personal protective equipment: Avoid all unnecessary exposure.	Dust on tear out. Provide adequate ventilation to minimize dust concentrations.
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 8.2. Appropriate engineering controls Appropriate engineering controls S.3. Individual protection measures/Personal Personal protective equipment: Avoid all unnecessary exposure. Hand protection:	Dust on tear out. Provide adequate ventilation to minimize dust concentrations.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:

Safety shoes. Wear suitable protective clothing

Respiratory protection:

Dust on tear out. Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state Solid

Physical state	: Solid
Appearance	: Solid in various shapes.
Color	: light brown
Odor Odor threshold	: None : No data available
pH	: No data available
Melting point	$\therefore > 2500 ^{\circ}\text{F}$
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure Relative vapor density at 20°C	: No data available : No data available
Relative density	: ≈ 2.1
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic Explosion limits	: No data available : No data available
Explosion minus Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	

Acute toxicity (dermal) Acute toxicity (inhalation)	Not classified Not classified
aluminium oxide, non-fibrous (1344-28-1)	
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

aluminium oxide, non-fibrous (1344-28-1)		
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value Inhalation (aerosol), 14 day(s))	
Skin corrosion/irritation :	Not classified	
cristobalite (14464-46-1)		
рН	6 – 7	
aluminium oxide, non-fibrous (1344-28-1)		
рН	9 – 10.5 (aqueous suspension, 33 %)	
Serious eye damage/irritation :	Not classified	
cristobalite (14464-46-1)		
рН	6 – 7	
aluminium oxide, non-fibrous (1344-28-1)		
рН	9 – 10.5 (aqueous suspension, 33 %)	
	Not classified	
Germ cell mutagenicity : Carcinogenicity :	Not classified Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
Aspiration hazard : Viscosity, kinematic :	Not classified No data available	
aluminium oxide, non-fibrous (1344-28-1)		
Viscosity, kinematic	Not applicable (solid)	
Symptoms/effects after inhalation :	May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure	
Symptoms/effects after eye contact :	through inhalation. Irritation. Dust from this product may cause eye irritation. No data available.	
SECTION 12: Ecological information		
12.1. Toxicity		
aluminium oxide, non-fibrous (1344-28-1)		
LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)	
EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)	
12.2. Persistence and degradability		
cristobalite (14464-46-1)		
Persistence and degradability	Mineral. Not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
aluminium oxide, non-fibrous (1344-28-1)		
Persistence and degradability	Not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
12.3. Bioaccumulative potential	·	
cristobalite (14464-46-1)		
Bioaccumulative potential	No data available.	
L		

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

aluminium oxide, non-fibrou	us (1344-28-1)	
Bioaccumulative potential		No data available.
12.4. Mobility in soil		
cristobalite (14464-46-1)		
Ecology - soil		No data available.
aluminium oxide, non-fibrou	us (1344-28-1)	
Surface tension		No data available in the literature
Ecology - soil		No data available.
12.5. Other adverse effects		
No additional information available)	
SECTION 13: Disposal co	onsiderations	
13.1. Disposal methods		
Product/Packaging disposal recom		Dispose in a safe manner in accordance with local/national regulations.
SECTION 14: Transport ir	nformation	
Department of Transportation of In accordance with DOT Not regulated Transportation of Dangerous C Not regulated Transport by sea Not regulated Air transport Not regulated		
SECTION 15: Regulatory	information	
15.1. US Federal regulations		
All components of this product are (TSCA) inventory	e present and listed as	s Active on the United States Environmental Protection Agency Toxic Substances Control Act
aluminium oxide, non-fibrou	us (1344-28-1)	
Not subject to reporting requirement	. ,	tes SARA Section 313
Note N	ote: The section 313 of ontained in this produced in the produced in th	chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide ct is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or num oxide in the fibrous form triggers reporting.
15.2. International regulation		
CANADA		
cristobalite (14464-46-1)		
Listed on the Canadian DSL (Dor	nestic Substances Lis	it)
aluminium oxide, non-fibrou	us (1344-28-1)	
Listed on the Canadian DSL (Dor	mestic Substances Lis	t)
EU-Regulations No additional information available National regulations No additional information available		
15.3. US State regulations		
N-2 (Mixture)		
U.S California - Proposition 65 -	- Other information	This product contains crystalline silica, a chemical known to the State of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cristobalite (14464-46-	-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		
aluminium oxide, non-fibrous (1344-28-1)		State or local regulations U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List			
SECTION 16: Other	information				
according to Federal Regist Revision date Other information	-	y, March 26, 2012 / Rule 5/17/2023 Report language name. versions, the English ve	English. In the event of	any conflict between En	glish and other language
Full text of H-phrases		, - ,	• • •		

H350	May cause cancer
11550	May cause cancer

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.