



# Nucon 60

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)  
Issue date: 3/15/2015 Revision date: 4/1/2026 Supersedes: 6/7/2023

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
Product name : Nucon 60  
CAS-No. : Mixture  
Product code : 2495

#### 1.2. Other means of identification

Other means of identification : Magnesia-Chrome Brick

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Refractory Brick  
Recommended use : Industrial use

#### 1.4. Supplier's details

RHI Magnesita  
425 South Salem Church Road  
York, PA, 17408  
United States  
T 717-792-3611  
[Resco SDS.TDS@rhimagnesita.com](mailto:Resco.SDS.TDS@rhimagnesita.com) - [WWW.RescoProducts.com](http://WWW.RescoProducts.com)

#### 1.5. Emergency phone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300  
Outside USA & Canada +1 703-741-5970

### SECTION 2 Hazard Identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Skin corrosion/irritation, Category 2 H315 Causes skin irritation.  
Specific target organ toxicity – Single exposure, Category 3, H335 May cause respiratory irritation.  
Respiratory tract irritation  
Full text of H statements : see section 16

#### 2.2. Label elements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning  
Hazard statements (GHS US) : H315 - Causes skin irritation  
H335 - May cause respiratory irritation  
Precautionary statements (GHS US) : P280 - Wear Safety shoes, protective gloves, eye protection.

#### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

#### 2.4. Hazards not otherwise classified

No additional information available

#### 2.5. Unknown acute toxicity

No additional information available

### SECTION 3 Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Magnesium Oxide	CAS-No.: 1309-48-4	30 – 60	Not classified
Transvaal Chrome Ore	CAS-No.: 1308-31-2	30 – 60	Not classified

Full text of hazard classes and H-statements : see section 16

### SECTION 4 First aid measures

#### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Dust when sawing or tear out. Allow affected person to breathe fresh air.

# Nucon 60

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

First-aid measures after skin contact	: Gently wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: Cough.
-----------------------------------	----------

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: In case of fire, all extinguishing media allowed.

### 5.2. Specific hazards arising from the chemical

Fire hazard	: Non-flammable.
Hazardous decomposition products in case of fire	: Fire conditions may produce small amounts of hexavalent chromium and other oxidation products.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Protective equipment	: Safety shoes. Protective gloves. Safety glasses.
Emergency procedures	: Avoid contact with skin. Avoid contact with eyes.

#### For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment.
----------------------	--

### 6.2. Methods and materials for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: On land, sweep or shovel into suitable containers.
For further information refer to section 8: "Exposure controls/personal protection"	

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Hygiene measures	: Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash skin thoroughly with mild soap and water.
------------------	---

### 7.2. Conditions for safe storage, including incompatibilities

Storage conditions	: Store this product in a dry location where it can be protected from the elements.
Incompatible products	: Strong acids. Chromic oxide may react with alkali at high temperatures under oxidizing conditions.

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

#### Magnesium Oxide (1309-48-4)

##### USA - ACGIH - Occupational Exposure Limits

ACGIH® TLV® TWA	10 mg/m <sup>3</sup> inhalable dust
-----------------	-------------------------------------

##### USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA	10 mg/m <sup>3</sup> respirable dust
--------------	--------------------------------------

#### Transvaal Chrome Ore (1308-31-2)

##### USA - ACGIH - Occupational Exposure Limits

ACGIH® TLV® TWA	0.05 mg/m <sup>3</sup> inhalable dust
-----------------	---------------------------------------

### 8.2. Appropriate engineering controls

Appropriate engineering controls	: Dust when sawing or tear out. Provide adequate ventilation to minimize dust concentrations.
----------------------------------	---

### 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

# Nucon 60

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

<b>Eye protection:</b>	
Chemical goggles or safety glasses	
<b>Skin and body protection:</b>	
Safety shoes. Wear suitable protective clothing	
<b>Respiratory protection:</b>	
Dust when sawing or tear out. Wear appropriate mask	
<b>SECTION 9 Physical and chemical properties</b>	
<b>9.1. Basic physical and chemical properties</b>	
Physical state	: Solid
Appearance	: Solid.
Color	: Dark
Odor	: None
Odor threshold	: No data available
pH	: No data available
Melting point	: > 3000 °F
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Flammability (solid, gas)	: Not flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: ≈ 3
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Particle characteristics	: No data available
<b>9.2. Data relevant with regard to physical hazard classes (supplemental)</b>	
No additional information available	
<b>SECTION 10 Stability and reactivity</b>	
<b>10.1. Reactivity</b>	
Fire conditions may produce small amounts of hexavalent chromium and other oxidation products.	
<b>10.2. Chemical stability</b>	
No additional information available	
<b>10.3. Possibility of hazardous reactions</b>	
No additional information available	
<b>10.4. Conditions to avoid</b>	
No additional information available	
<b>10.5. Incompatible materials</b>	
No additional information available	
<b>10.6. Hazardous decomposition products</b>	
No additional information available	
<b>SECTION 11 Toxicological information</b>	
<b>11.1. Information on toxicological effects</b>	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
<b>Magnesium Oxide (1309-48-4)</b>	
LD50 oral rat	> 5000 mg/kg (Rat, Literature study, Oral)
LD50 dermal rabbit	> 2000 mg/kg body weight (Rabbit, Literature study, Dermal)
Skin corrosion/irritation	: Causes skin irritation.

# Nucon 60

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

<b>Magnesium Oxide (1309-48-4)</b>	
pH	11 (10 %)
Serious eye damage/irritation	: Not classified
<b>Magnesium Oxide (1309-48-4)</b>	
pH	11 (10 %)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
<b>Magnesium Oxide (1309-48-4)</b>	
Viscosity, kinematic	Not applicable (solid)
Symptoms/effects after inhalation	: Cough.
<b>SECTION 12 Ecological information</b>	
<b>12.1. Ecotoxicity</b>	
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
<b>12.2. Persistence and degradability</b>	
<b>Nucon 60 (Mixture)</b>	
Persistence and degradability	Not established.
<b>Magnesium Oxide (1309-48-4)</b>	
Persistence and degradability	Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
<b>Transvaal Chrome Ore (1308-31-2)</b>	
Persistence and degradability	Not established.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
<b>12.3. Bioaccumulative potential</b>	
<b>Magnesium Oxide (1309-48-4)</b>	
Bioaccumulative potential	No bioaccumulation data available.
<b>Transvaal Chrome Ore (1308-31-2)</b>	
Bioaccumulative potential	No data available.
<b>12.4. Mobility in soil</b>	
<b>Magnesium Oxide (1309-48-4)</b>	
Surface tension	No data available in the literature
Ecology - soil	No data available.
<b>Transvaal Chrome Ore (1308-31-2)</b>	
Ecology - soil	No data available.
<b>12.5. Other adverse effects</b>	
Ozone	: Not classified
Fluorinated greenhouse gases	: No

# Nucon 60

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

### SECTION 13 Disposal considerations

Product/Packaging disposal recommendations : Chromite (Cr<sup>+3</sup>) may in normal use be converted chemically to a chromate (Cr<sup>+6</sup>). Hexavalent chromium (Cr<sup>+6</sup>) is considered a hazardous material.

### SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated

#### Transportation of Dangerous Goods

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

### SECTION 15 Regulatory information

#### 15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Transvaal Chrome Ore	CAS-No. 1308-31-2	30 – 60%
----------------------	-------------------	----------

#### 15.2. International regulations

##### CANADA

#### Magnesium Oxide (1309-48-4)

Listed on the Canadian DSL (Domestic Substances List)

#### Transvaal Chrome Ore (1308-31-2)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

No additional information available

#### 15.3. State regulations

##### Nucon 60 (Mixture)

U.S. - California - Proposition 65 - Other information	This product contains chromite (Cr <sup>+3</sup> ) which may in normal use, be converted chemically to a chromate (Cr <sup>+6</sup> ) hexavalent chrome, a chemical known to the State of California to cause cancer.
--	---

##### Transvaal Chrome Ore (1308-31-2)

U.S. - California - Proposition 65 - Other information	This product contains chromite (Cr <sup>+3</sup> ) which may in normal use, be converted chemically to a chromate (Cr <sup>+6</sup> ) hexavalent chrome, a chemical known to the State of California to cause cancer.
--	---

Component	State or local regulations
Magnesium Oxide(1309-48-4)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List
Transvaal Chrome Ore(1308-31-2)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List

### SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Revision date : 4/1/2026

Issue date : 3/15/2015

Other information : Report language name. English. In the event of any conflict between English and other language versions, the English version shall prevail.

#### Full text of hazard classes and H-statements

H315	Causes skin irritation
H335	May cause respiratory irritation

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, RHI Magnesita makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.