

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 06/08/2022 Supersedes: 11/12/2021 Issue date: 06/08/2022

SECTION 1: Identification

Identification

Product form Mixture Product name Nuline 18 DFP CAS-No. Mixture Product code 7475

Other means of identification Resin Bonded Magnesia-Carbon Brick

Recommended use and restrictions on use 1.2.

Use of the substance/mixture Refractory Brick Recommended use : Industrial use

Supplier

Resco Products. Inc.

One Robinson Plaza, Suite 300

6600 Steubenville Pike

Pittsburgh, PA 15205 - United States

412-494-4491

SDS@RescoProducts.com - WWW.RescoProducts.com

Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2B

H320 Causes eye irritation

Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

H335 May cause respiratory irritation

H315 Causes skin irritation

Full text of H statements: see section 16

GHS Label elements, including precautionary statements 2.2.

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) Warning

Hazard statements (GHS US) H315 - Causes skin irritation H320 - Causes eye irritation

H335 - May cause respiratory irritation

: P280 - Wear eye protection, protective gloves, Safety shoes. Precautionary statements (GHS US)

2.3. Other hazards which do not result in classification

No additional information available

Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. **Substances**

Not applicable

3.2 **Mixtures**

Name	Product identifier	%	GHS US classification
Magnesium Oxide	(CAS-No.) 1309-48-4	75 – 95	Not classified
graphite	(CAS-No.) 7782-42-5	10 – 20	Not classified
Phenolic Resin	(CAS-No.) 108-95-2	1 – 5	Not classified
aluminium - powder	(CAS-No.) 7429-90-5	1 – 5	Not classified
Si	(CAS-No.) 7440-21-3	1 – 5	Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. **Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

First-aid measures after inhalation Dust when sawing or tear out. Remove the victim into fresh air.

First-aid measures after skin contact Gently wash with plenty of soap and water.

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth with water. Do not induce vomiting.

06/08/2022 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2 Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and : No additional information available.

symptoms

Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : No unsuitable extinguishing media known.

Specific hazards arising from the chemical

: Non-flammable. Do not breathe fumes from fires or vapors from decomposition. Fire hazard

Special protective equipment and precautions for fire-fighters 5.3.

Firefighting instructions Exercise caution when fighting any chemical fire.

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus.

Other information Product will not burn, but does contain small quantities of chemicals which can generate toxic

and/or irritating vapors when initially heated. Under fire conditions hazardous combustion products such as carbon monoxide may be generated. The phenolic resin binder may undergo incomplete combustion when temperature is applied to this product. The intent of this note is as follows: (1) to apprise the customer/user of the potential for incomplete combustion, and (2) to advise that the chemical compounds produced by incomplete combustion by poor air handling practices may exceed TLV's for specific air contaminates. The specific chemical compounds witch may be produced include but are not limited to: carbon monoxide, formaldehyde, phenol,

alcohols, glycols, and other solvents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel 6.1.1.

Safety glasses, Protective gloves, Safety shoes, Protective equipment

: Avoid contact with skin and eyes. **Emergency procedures**

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Collect spillage. On land, sweep or shovel into suitable containers.

Environmental precautions

No additional information available

Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up : Mechanically recover the product. Reference to other sections

No additional information available

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

Conditions for safe storage, including any incompatibilities

Storage conditions Store this product in a dry location where it can be protected from the elements.

Incompatible products Strong acids.

Incompatible materials Oxidizing agents and strong acids

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Nuline 18 DFP (Mixture)		
No additional information available		
Magnesium Oxide (1309-48-4)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³) 10 mg/m³ inhalable dust		
USA - OSHA - Occupational Exposure Limits		
OSHA PEL (TWA) (mg/m³)	10 mg/m³ respirable dust	
graphite (7782-42-5)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³)	2 mg/m³ (Respirable fraction)	
Phenolic Resin (108-95-2)		
No additional information available		

06/08/2022 EN (English US) 2/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

aluminium - powder (7429-90-5)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (mg/m³)	1 mg/m³ (Respirable fraction)
Si (7440-21-3)	
No additional information available	

8.2. Appropriate engineering controls

Appropriate engineering controls : Dust when sawing or tear out. Provide adequate ventilation to minimize dust concentrations.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

protective gloves Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Safety shoes

Respiratory protection:

Dust when sawing or tear out. Wear appropriate mask

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state

Appearance Solid in various shapes.

Color Black Odor : Resin Odor Odor threshold No data available : No data available pΗ

Melting point : > 2800 °F

Freezing point No data available Boiling point : No data available Flash point : No data available : No data available Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) : Not flammable. Vapor pressure No data available Relative vapor density at 20 °C : No data available

Relative density : ≈ 2.9

Solubility : Insoluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** No data available Explosive properties : No data available Oxidizing properties : No data available

Other information No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. **Chemical stability**

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available **Conditions to avoid**

No additional information available

10.5. Incompatible materials

Strong acids.

06/08/2022 EN (English US) 3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazardous decomposition products

The phenolic resin binder may undergo incomplete combustion when temperature is applied to this product. The intent of this note is as follows: (1) to apprise the customer/user of the potential for incomplete combustion, and (2) to advise that the chemical compounds produced by incomplete combustion by poor air handling practices may exceed TLV's for specific air contaminates. The specific chemical compounds witch may be produced include but are not limited to: carbon monoxide, formaldehyde, phenol, alcohols, glycols, and other solvents.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Magnesium Oxide (1309-48-4)	
LD50 oral rat	> 5000 mg/kg (Rat, Literature study, Oral)
LD50 dermal rabbit	> 2000 mg/kg body weight (Rabbit, Literature study, Dermal)
graphite (7782-42-5)	
LD50 oral rat	> 2000 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)
LC50 Inhalation - Rat	> 2000 mg/m³ air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))
aluminium - powder (7429-90-5)	
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Read- across, Oral, 14 day(s))
LC50 Inhalation - Rat	> 0.89 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male, Experimental value, Inhalation (aerosol), 14 day(s))
Si (7440-21-3)	
LD50 oral rat	> 5000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (24 h, Rabbit, Read-across, Dermal, 14 day(s))
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Phenolic Resin (108-95-2)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and	: No additional information available.

symptoms **SECTION 12: Ecological information**

Toxicity

> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Lethal)
> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Behaviour)
100 mg/l (Pisces)
250 mg/l (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence)

Zizi i didictifice and degradability		
Magnesium Oxide (1309-48-4)		
Persistence and degradability	Not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
graphite (7782-42-5)		
Persistence and degradability	Biodegradability: not applicable.	

06/08/2022 EN (English US) 4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
graphite (7782-42-5)		
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
aluminium - powder (7429-90-5)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Si (7440-21-3)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
12.3. Bioaccumulative potential		
Magnesium Oxide (1309-48-4)		
Bioaccumulative potential	No bioaccumulation data available.	
graphite (7782-42-5)		
Bioaccumulative potential	Not bioaccumulative.	
aluminium - powder (7429-90-5)		
Bioaccumulative potential	No bioaccumulation data available.	
Si (7440-21-3)		
Bioaccumulative potential	Not bioaccumulative.	
12.4. Mobility in soil	Not bloaccumulative.	
Magnesium Oxide (1309-48-4) Surface tension	No data available in the literature	
Ecology - soil	No data available in the interactive	
	140 data available.	
aluminium - powder (7429-90-5)	000 mN/m (700 °C)	
Surface tension Ecology - soil	900 mN/m (700 °C) Adsorbs into the soil.	
<u>. </u>	Adsorbs lifto the soil.	
Si (7440-21-3)		
Ecology - soil 12.5. Other adverse effects	Highly mobile in soil.	
No additional information available		
SECTION 13: Disposal consideration		
13.1. Disposal methods		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	
SECTION 14: Transport information		
Department of Transportation (DOT) In accordance with DOT		
Not regulated		
Transportation of Dangerous Goods		
Not regulated		
Transport by sea Not regulated		
Air transport		
Not regulated		
SECTION 15: Regulatory information		
15.1. US Federal regulations		
Nuline 18 DFP (Mixture)	motion must be included in all CDC's that are conical and distributed for this material	
	mation must be included in all SDS's that are copied and distributed for this material. listed as Active on the United States Environmental Protection Agency Toxic	
Substances Control Act (TSCA) inventory	ilisted as Active on the orlited states Environmental Protection Agency Toxic	
Phenolic Resin (108-95-2)		
Subject to reporting requirements of United Sta	tes SARA Section 313	
Listed on EPA Hazardous Air Pollutant (HAPS	1000 lb	
CERCLA RQ	1000 lb	
RQ (Reportable quantity, section 304 of EPA's	List of Lists) 1000 lb	

06/08/2022 EN (English US) 5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nuline 18 DFP (Mixture)		
SARA Section 302 Threshold Planning Quantity (TPQ) 10000 lb 500lb if the substance is solid in powder form with particle size less than 100 microns, or is in solution or molten form		
aluminium - powder (7429-90-5)		
Subject to reporting requirements of United States SARA Section 313		
Note This	This information must be included in all SDS's that are copied and distributed for this material.	

15.2. International regulations

CANADA

Magnesium Oxide (1309-48-4)

Listed on the Canadian DSL (Domestic Substances List)

graphite (7782-42-5)

Listed on the Canadian DSL (Domestic Substances List)

Phenolic Resin (108-95-2)

Listed on the Canadian DSL (Domestic Substances List)

aluminium - powder (7429-90-5)

Listed on the Canadian DSL (Domestic Substances List)

Si (7440-21-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

Component	State or local regulations
Magnesium Oxide (1309-48-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Graphite (7782-42-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Phenolic Resin (108-95-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
aluminium – powder (7429-90-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Si (7440-21-3)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 06/08/2022

Other information : Report language name. English. In the event of any conflict between English and other

language versions, the English version shall prevail.

Full text of H-phrases:

H31	15	Causes skin irritation
H32	20	Causes eye irritation
H33	35	May cause respiratory irritation

SDS US (GHS HazCom 2012)

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

06/08/2022 EN (English US) 6/6