

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 6/19/2023 Revision date: 6/19/2023 Supersedes: 12/22/2020

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name CAS-No.	: Nuline 7-99 : Mixture
Product code	: 4632
Other means of identification	: Resin Bonded Magnesia-Carbon Brick
1.2. Recommended use and restrictions on u	
Use of the substance/mixture Recommended use	: Refractory Brick : Industrial use
1.3. Supplier	
Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 United States 412-494-4491 SDS@RescoProducts.com - WWW.RescoProducts.co 1.4. Emergency telephone number	<u>xom</u>
Emergency number	: EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mixtu	Ire
GHS US classification Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B Specific target organ toxicity – Single exposure, Cate	H315 Causes skin irritation H320 Causes eye irritation egory 3, H335 May cause respiratory irritation
Respiratory tract irritation Full text of H statements : see section 16	
2.2. GHS Label elements, including precauti	ionary statements
GHS US labeling Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US)	 Warning H315 - Causes skin irritation H320 - Causes eye irritation H335 - May cause respiratory irritation
	: P280 - Wear protective gloves/protective clothing/eye protection/face protection.
2.3. Other hazards which do not result in cla	assification
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
No additional information available SECTION 3: Composition/Information o	n ingradiante
· · ·	
3.1. Substances	
Not applicable 3.2. Mixtures	
	Product identifier 9/ CHS US algosification
Name Magnesium Oxide	Product identifier % GHS US classification CAS-No.: 1309-48-4 75 – 95 Not classified
graphite	CAS-No.: 7782-42-5 10 – 20 Not classified
Phenolic Resin	CAS-No.: 108-95-2 1 – 5 Not classified
Full text of hazard classes and H-statements : see se	ection 16
SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advid Dust when sawing or tear out. Remove the victim into fresh air.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3	
First-aid measures after skin contact First-aid measures after eye contact	 Gently wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth with water. Do not induce vomiting.
4.2. Most important symptoms and effective	
Most Important Symptoms/Effects	: No additional information available.
4.3. Immediate medical attention and sp	ecial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguisl	
Suitable extinguishing media Unsuitable extinguishing media	 Use extinguishing media appropriate for surrounding fire. No unsuitable extinguishing media known.
5.2. Specific hazards arising from the cl	
Fire hazard	: Non-flammable. Do not breathe fumes from fires or vapors from decomposition.
5.3. Special protective equipment and p	recautions for fire-fighters
Firefighting instructions Protection during firefighting Other information	 Exercise caution when fighting any chemical fire. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Product will not burn, but does contain small quantities of chemicals which can generate toxic and/or irritating vapors when initially heated. Under fire conditions hazardous combustion products such as carbon monoxide may be generated. The phenolic resin binder may undergo incomplete combustion when temperature is applied to this product. The intent of this note is as follows: (1) to apprise the customer/user of the potential for incomplete combustion, and (2) to advise that the chemical compounds produced by incomplete combustion by poor air handling practices may exceed TLV's for specific air contaminates. The specific chemical compounds witch may be produced include but are not limited to: carbon monoxide, formaldehyde, phenol, alcohols, glycols, and other solvents.
SECTION 6: Accidental release mea	
6.1. Personal precautions, protective eq	uipment and emergency procedures
 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 	 Safety glasses. Protective gloves. Safety shoes. Avoid contact with skin and eyes. Equip cleanup crew with proper protection. Collect spillage. On land, sweep or shovel into suitable containers.
6.2. Environmental precautions	
No additional information available	
6.3. Methods and material for containing	ont and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Mechanically recover the product.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Storage conditions Incompatible products Incompatible materials	 Store this product in a dry location where it can be protected from the elements. Strong acids. Oxidizing agents and strong acids.
SECTION 8: Exposure controls/pers	onal protection
8.1. Control parameters	
Nuline 7-99 (Mixture)	
No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Magnesium Oxide (1309-48-4)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	10 mg/m ³ inhalable dust
USA - OSHA - Occupational Exposure Limits	1
OSHA PEL (TWA) [1]	10 mg/m ³ respirable dust
graphite (7782-42-5)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	2 mg/m ³ (Respirable fraction)
Phenolic Resin (108-95-2)	
No additional information available	
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Dust when sawing or tear out. Provide adequate ventilation to minimize dust concentrations.
8.3. Individual protection measures/Person	ial protective equipment
Personal protective equipment: Avoid all unnecessary exposure.	
Hand protection:	
Wear protective gloves.	
Eye protection:	
Chemical goggles or safety glasses	
Skin and body protection:	
Safety shoes. Wear suitable protective clothing	
Respiratory protection:	
Dust when sawing or tear out. Wear appropriate ma	ask
SECTION 9: Physical and chemical pro	pperties
9.1. Information on basic physical and che	mical properties
Physical state	: Solid
Appearance Color	: Solid in various shapes. : Black
Odor	: Resin Odor
Odor threshold	: No data available
pH	: No data available
Melting point	: > 2800 °F
Freezing point	: No data available
Boiling point Flash point	: No data available : No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: ≈ 2.9
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature	: No data available : No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties Oxidizing properties	: No data available : No data available
9.2. Other information	
No additional information available	

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<u> </u>	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
Strong acids.	
10.6. Hazardous decomposition products	
apprise the customer/user of the potential for incomplet	bustion when temperature is applied to this product. The intent of this note is as follows: (1) to e combustion, and (2) to advise that the chemical compounds produced by incomplete TLV's for specific air contaminates. The specific chemical compounds witch may be produced lehyde, phenol, alcohols, glycols, and other solvents.
SECTION 11: Toxicological information	
11.1. Information on toxicological effects Acute toxicity (oral) :	Not classified
Acute toxicity (dermal) : Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified
Magnesium Oxide (1309-48-4)	
LD50 oral rat	> 5000 mg/kg (Rat, Literature study, Oral)
LD50 dermal rabbit	> 2000 mg/kg body weight (Rabbit, Literature study, Dermal)
graphite (7782-42-5)	
LD50 oral rat	> 2000 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)
LC50 Inhalation - Rat	> 2000 mg/m³ air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))
Skin corrosion/irritation :	Causes skin irritation.
Magnesium Oxide (1309-48-4)	
рН	11 (10 %)
graphite (7782-42-5)	
рН	7 (1.3 %)
Serious eye damage/irritation :	Causes eye irritation.
Magnesium Oxide (1309-48-4)	
рН	11 (10 %)
graphite (7782-42-5)	
рН	7 (1.3 %)
•	Not classified
Germ cell mutagenicity :	Not classified
o ,	Not classified
Phenolic Resin (108-95-2)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	May cause respiratory irritation.
STOT-repeated exposure :	Not classified
Aspiration hazard : Viscosity, kinematic :	Not classified No data available
viscosity, kinematic .	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Magnesium Oxide (1309-48-4)	
Viscosity, kinematic	Not applicable (solid)
Most Important Symptoms/Effects :	No additional information available.
SECTION 12: Ecological information	
12.1. Toxicity	
graphite (7782-42-5)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Behaviour)
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
EC50 72h - Algae [2]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Cell numbers)
12.2. Persistence and degradability	
Magnesium Oxide (1309-48-4)	
Persistence and degradability	Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
graphite (7782-42-5)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
12.3. Bioaccumulative potential	
Magnesium Oxide (1309-48-4)	
Bioaccumulative potential	No bioaccumulation data available.
graphite (7782-42-5)	
Bioaccumulative potential	Not bioaccumulative.
12.4. Mobility in soil	
Magnesium Oxide (1309-48-4)	
Surface tension	No data available in the literature
Ecology - soil	No data available.
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Disposal methods	
Product/Packaging disposal recommendations : SECTION 14: Transport information	Dispose in a safe manner in accordance with local/national regulations.
In accordance with DOT / TDG / IMDG / IATA Department of Transportation (DOT) In accordance with DOT Not regulated Transportation of Dangerous Goods Not regulated	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea
Not regulated
Air transport
.

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Phenolic Resin (108-95-2)	
Subject to reporting requirements of United States SAF Listed on EPA Hazardous Air Pollutant (HAPS)	RA Section 313
CERCLA RQ	1000 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	10000 lb 500lb if the substance is solid in powder form with particle size less than 100 microns, or is in solution or molten form
15.2. International regulations	
CANADA	
Magnesium Oxide (1309-48-4)	
Listed on the Canadian DSL (Domestic Substances Lis	it)
graphite (7782-42-5)	
Listed on the Canadian DSL (Domestic Substances Lis	it)
Phenolic Resin (108-95-2)	
Listed on the Canadian DSL (Domestic Substances Lis	xt)
EU-Regulations No additional information available National regulations No additional information available	
15.3. US State regulations	
Component	State or local regulations
Magnesium Oxide (1309-48-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Graphite (7782-42-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Phenolic Resin (108-95-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
SECTION 16: Other information	
	y, March 26, 2012 / Rules and Regulations 6/19/2023 Report language name. English. In the event of any conflict between English and other language versions, the English version shall prevail.

Full text of H-phrases		
H315	Causes skin irritation	
H320	Causes eye irritation	
H335	May cause respiratory irritation	

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.