

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/15/2015 Revision date: 5/14/2024 Supersedes: 2/1/2021

#### **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Product name : Paco Hi Alumina Coating Mix

CAS-No. : Mixture Product code : 0217

Other means of identification : Alumina-Silicate Speciality

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Refractory Recommended use : Industrial use

#### 1.3. Supplier

T 412-494-4491

Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 United States

SDS@RescoProducts.com - WWW.RescoProducts.com

#### 1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

#### **SECTION 2: Hazard(s) identification**

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation Category 2 H315 Causes skin irritation Serious eye damage/eye irritation Category 2B H320 Causes eye irritation

Carcinogenicity Category 1A H350 May cause cancer (Inhalation)

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US)

: H315 - Causes skin irritation
H320 - Causes eye irritation

H350 - May cause cancer (Inhalation)

Precautionary statements (GHS US) : P280 - Wear eye protection, Dust respirator, protective gloves.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P260 - Do not breathe dust.

# 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

No additional information available

#### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
aluminium oxide, non-fibrous	CAS-No.: 1344-28-1	50 – 75	Not classified
quartz	CAS-No.: 14808-60-7	20 – 50	Carc. 1A, H350

Full text of hazard classes and H-statements : see section 16

#### **SECTION 4: First-aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Gently wash with plenty of soap and water.

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. First-aid measures after ingestion

#### 4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and

symptoms Symptoms/effects after inhalation May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure

through inhalation.

May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.

Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact Causes eye irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media In case of fire, all extinguishing media allowed.

# 5.2. Specific hazards arising from the chemical

Fire hazard Not flammable.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions Fight fire with normal precautions from a reasonable distance.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

6.1.2. For emergency responders

Equip cleanup crew with proper protection.

: Do not breathe dust. Avoid contact with skin and eyes.

Protective equipment **Emergency procedures** 

Ventilate area. On land, sweep or shovel into suitable containers.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

# 6.3. Methods and material for containment and cleaning up

: On land, sweep or shovel into suitable containers. Minimize generation of dust. Methods for cleaning up

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Avoid raising dust. Precautions for safe handling

Avoid contact with skin and eyes. Do not breathe dust.

Wash Wash hands and other exposed areas with mild soap and water before eating, drinking or Hygiene measures

smoking and when leaving work thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store this product in a dry location where it can be protected from the elements.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

Paco Hi Alumina Coating Mix (Mixture)	
No additional information available	
aluminium oxide, non-fibrous (1344-28-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	1 mg/m³ respirable dust
quartz (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.025 mg/m³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV -
	Adopted Value; Respirable fraction)
USA - OSHA - Occupational Exposure Limits	
Local name	Silica, crystalline quartz, respirable dust

5/14/2024 (Revision date) EN (English US) 2/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

quartz (14808-60-7)		
OSHA PEL (TWA) [1]	0.05 mg/m³ respirable dust	
Remark (OSHA)	(3) See Table Z-3.	

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Provide adequate ventilation to minimize dust concentrations.

# 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Granular mixture.
Color : Off-white
Odor : earthy

Odor threshold : No data available pH : No data available Melting point : > 2500 °F Freezing point : No data available Boiling point : No data available Flash point : No data available Flash point : No data available

Flash point Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) Not flammable. No data available Vapor pressure Relative vapor density at 20°C No data available Relative density No data available Solubility No data available Partition coefficient n-octanol/water (Log Pow) No data available No data available Auto-ignition temperature Decomposition temperature No data available Viscosity, kinematic Not Applicable Viscosity, dynamic No data available **Explosion limits** No data available Explosive properties No data available No data available Oxidizing properties

# 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

None known.

#### 10.2. Chemical stability

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Avoid dust formation.

5/14/2024 (Revision date) EN (English US) 3/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

No. additional information available  10.6 Hazardous decomposition products  No. additional information available  SECTION 11: Toxicological information  11. Information on toxicological effects  Acute toxicity (rorman)	10.5. Incompatible metarials	
10.6. Hazardous decomposition products  SECTION 11: Toxicological information  11.1. Information an toxicological information  12.1. Toxicity  13. Information an toxicological information  13. Information and information  14. Information an toxicological information  15. Not dassified  16. Acute toxicity (information)  16. Information and information  17. Information and information  18. Information and information  18. Information and information  18. Information and information  19. Information and information	10.5. Incompatible materials  No additional information available	
SECTION 11: Toxicological information		
### 11. Information on toxicological effects  Acute toxicity (viernal)  Acute toxicity (viernal)  Acute toxicity (viernal)  Acute toxicity (inhalation)  LD50 oral rat    September   Sept		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)  I Not classified Acute toxicity (inhalation)  LD50 oral rat    September	SECTION 11: Toxicological information	
Acute toxicity (harmal) Acute toxicity (harmal) Acute toxicity (harmalation)  Acute toxicity (harmalation)  LD50 oral rat    > 1500 oral rat   > 1500 oral rat   > 1500 oral rat   > 1500 oral rat   > 2.3 mg/l air (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))   > 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))   Skin corrosion/irritation   2 causes skin irritation.   aluminium oxide, non-fibrous (1344-28-1)   pH	11.1. Information on toxicological effects	
Acute toxicity (inhalation) : Not classified  aluminium oxide, non-fibrous (1344-28-1)  LD50 oral rat		
LDS0 oral rat		
Experimental value, Oral, 14 day(s))  LC50 Inhalation - Rat   2.2 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))  Skin corrosion/irritation   2 causes skin irritation.  aluminium oxide, non-fibrous (1344-28-1)  pH   9 = 10.5 (aqueous suspension, 33 %)  quartz (14808-60-7)  pH   6 - 7  Serious eye damage/irritation   5 causes eye irritation.  aluminium oxide, non-fibrous (1344-28-1)  pH   9 = 10.5 (aqueous suspension, 33 %)  quartz (14808-60-7)  pH   6 - 7  Respiratory or skin sensitization   Not classified  Germ cell mutagenicity   May cause cancer (Inhalation).  quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans  Reproductive toxicily   Not classified  STOT-repeated exposure   Not classified  STOT-ringle exposure   Not classified  STOT-ringle exposure   Not classified  STOT-ringle exposure   Not classified  STOT-repeated exposure   Not classified  Not applicable (solid)  Likely routes of exposure   Not classified   Not applicable (solid)  Likely routes of exposure   Not classified   Not applicable (solid)  Likely routes of exposure   Not classified   Not applicable (solid)  Likely routes of exposure   Not classified   Not applicable (solid)  Likely routes of exposure   Not classified   Not applicable (solid)  Likely routes of exposure   Not classified   Not applicable (solid)  Likely routes of exposure   Not classified   N		
Inhalation (serosol), 14 day(s))	LD50 oral rat	
Authorition	LC50 Inhalation - Rat	
pH 9 - 10.5 (aqueous suspension, 33 %)  quartz (14808-60-7) pH 6 - 7 Serious eye damage/irritation : Causes eye irritation.  aluminium oxide, non-fibrous (1344-28-1) pH 9 - 10.5 (aqueous suspension, 33 %)  quartz (14808-60-7) pH 6 - 7 Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer (Inhalation).  quartz (14808-60-7) IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Viscosity, kinematic : Not classified Viscosity, kinematic : Not Applicable  aluminium oxide, non-fibrous (1344-28-1) Viscosity, kinematic : Inhalation : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation. Symptoms/effects after eye contact : Causes skin irritation. SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study)	Skin corrosion/irritation :	Causes skin irritation.
pH   6 - 7  Serious eye damage/irritation : Causes eye irritation.  aluminium oxide, non-fibrous (1344-28-1)  pH   9 - 10.5 (aqueous suspension, 33 %)  quartz (14808-60-7)  pH   6 - 7  Respiratory or skin sensitization : Not classified  Germ cell mutagenicity : May cause cancer (Inhalation).  quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans  Reproductive toxicity : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  STOT-single exposure : Not classified  Viscosity, kinematic : Not applicable (solid)  Likely routes of exposure : Not applicable (solid)  Likely routes of exposure : Inhalation : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation : May cause cancer by inhalation.  Symptoms/effects after skin contact : Causes skin irritation.  Symptoms/effects after skin contact : Causes skin irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]   > 100 mg/l (96 h, Salmo trutta, Literature study)	aluminium oxide, non-fibrous (1344-28-1)	
pH   6 - 7 Serious eye damage/irritation : Causes eye irritation.  aluminium oxide, non-fibrous (1344-28-1) pH   9 - 10.5 (aqueous suspension, 33 %)  quartz (14808-60-7) pH   6 - 7 Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer (Inhalation).  quartz (14808-60-7) IARC group   1 - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified Viscosity, kinematic : Not applicable (solid)  Likely routes of exposure : Not applicable (solid) Likely routes of exposure : Inhalation : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Symptoms/effects after skin contact : Causes skin irritation.  Symptoms/effects after skin contact : Causes skin irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1]   > 100 mg/l (96 h, Salmo trutta, Literature study)	рН	9 – 10.5 (aqueous suspension, 33 %)
Serious eye damage/irritation : Causes eye irritation.  aluminium oxide, non-fibrous (1344-28-1)  pH	quartz (14808-60-7)	
aluminium oxide, non-fibrous (1344-28-1) pH	рН	6 – 7
pH   9 = 10.5 (aqueous suspension, 33 %)    quartz (14808-60-7)     PH   6 - 7     Respiratory or skin sensitization   : Not classified     Germ cell mutagenicity   : Not classified     Carcinogenicity   : May cause cancer (Inhalation).   quartz (14808-60-7)     LARC group   1 - Carcinogenic to humans     Reproductive toxicity   : Not classified     STOT-single exposure   : Not classified     Stotistic   : Not classified	Serious eye damage/irritation :	Causes eye irritation.
Carcinogenicity   Carcinogenicity   Carcinogenicity   Carcinogenicity   Carcinogenicity   Carcinogenicity   May cause cancer (Inhalation).	aluminium oxide, non-fibrous (1344-28-1)	
PH 6 - 7  Respiratory or skin sensitization : Not classified Germ cell mutagenicity : May cause cancer (Inhalation).  quartz (14808-60-7)  IARC group : 1 - Carcinogenic to humans  Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified Aspiration hazard : Not applicable (STOT) Viscosity, kinematic : Not applicable (STOT)  Likely routes of exposure : Not applicable (Solid)  Likely routes of exposure : Not applicable (Solid)  Likely routes of exposure : Not applicable (Solid)  Likely routes of exposure : Inhalation : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Symptoms/effects after skin contact : Causes skin irritation.  Symptoms/effects after eye contact : Causes skin irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study)	рН	9 – 10.5 (aqueous suspension, 33 %)
Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity : Not classified Carcinogenicity : May cause cancer (Inhalation).  quartz (14808-60-7) IARC group I- Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified Aspiration hazard Viscosity, kinematic I- Not applicable  aluminium oxide, non-fibrous (1344-28-1) Viscosity, kinematic Likely routes of exposure Potential Adverse human health effects and symptoms Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after eye contact Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1]  > Not classified Not classified Not daspified Not daspified Not applicable (solid)  I- Carcinogenic to humans Not classified Not applicable (solid)  I- Carcinogenic to humans Not classified Not classifie	quartz (14808-60-7)	
Germ cell mutagenicity : Not classified carcinogenicity : May cause cancer (Inhalation).    Quartz (14808-60-7)     IARC group	рН	6 – 7
Carcinogenicity : May cause cancer (Inhalation).    Quartz (14808-60-7)	· · · · · · · · · · · · · · · · · · ·	
LARC group	• ,	
IARC group  Reproductive toxicity STOT-single exposure STOT-repeated exposure STOT-sepided exposure STOT-repeated exposure STO		May cause cancer (minaration).
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : Not Applicable (solid) : Not Applicable (solid) : Inhalation.  Viscosity, kinematic : Not applicable (solid) : Inhalation.  Likely routes of exposure Potential Adverse human health effects and symptoms : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Symptoms/effects after skin contact : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Symptoms/effects after skin contact : Causes skin irritation.  Symptoms/effects after eye contact : Causes skin irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study)	,	1 - Carcinogenic to humans
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : Not Applicable  aluminium oxide, non-fibrous (1344-28-1)  Viscosity, kinematic   Not applicable (solid)  Likely routes of exposure Potential Adverse human health effects and symptoms Symptoms Symptoms Symptoms/effects after inhalation : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation. Symptoms/effects after skin contact : Causes skin irritation. Symptoms/effects after eye contact : Causes skin irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study)		
STOT-repeated exposure Aspiration hazard Viscosity, kinematic  aluminium oxide, non-fibrous (1344-28-1)  Viscosity, kinematic  Likely routes of exposure Potential Adverse human health effects and symptoms Symptoms/effects after inhalation  Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  Not classified Not classified Not classified Not classified Not classified Not classified Not applicable (solid)  Lihelation. May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation. Causes skin irritation. Causes skin irritation. Causes eye irritation.  Section 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  > Not classified Not classified Not classified Not classified Not Applicable  Inhalation. May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation. Causes skin irritation. Causes eye irritation. Section 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  > 100 mg/l (96 h, Salmo trutta, Literature study)	•	
Viscosity, kinematic : Not Applicable  aluminium oxide, non-fibrous (1344-28-1)  Viscosity, kinematic   Not applicable (solid)  Likely routes of exposure Potential Adverse human health effects and symptoms   May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Symptoms/effects after skin contact   May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Symptoms/effects after skin contact   Causes skin irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]   > 100 mg/l (96 h, Salmo trutta, Literature study)	STOT-repeated exposure :	
aluminium oxide, non-fibrous (1344-28-1)  Viscosity, kinematic  Likely routes of exposure Potential Adverse human health effects and symptoms Symptoms Symptoms/effects after inhalation  Symptoms/effects after skin contact Symptoms/effects after eye contact  Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  Not applicable (solid)  Inhalation.  May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Causes skin irritation.  Causes skin irritation.  Causes eye irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  > 100 mg/l (96 h, Salmo trutta, Literature study)		
Likely routes of exposure Potential Adverse human health effects and symptoms Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after eye contact SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  Inhalation.  Inhalation. Danger of serious damage to health by prolonged exposure through inhalation. Danger of serious damage to health by prolonged exposure through inhalation. Causes skin irritation. Causes skin irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  > 100 mg/l (96 h, Salmo trutta, Literature study)		11
Potential Adverse human health effects and symptoms  Symptoms/effects after inhalation  Symptoms/effects after inhalation  Symptoms/effects after skin contact  Symptoms/effects after eye contact  Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Causes skin irritation.  Causes eye irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  > 100 mg/l (96 h, Salmo trutta, Literature study)	Viscosity, kinematic	Not applicable (solid)
symptoms Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after eye contact SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  through inhalation.  May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Causes skin irritation.  Causes eye irritation.  > 100 mg/l (96 h, Salmo trutta, Literature study)		
Symptoms/effects after inhalation : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Symptoms/effects after skin contact : Causes skin irritation.  Symptoms/effects after eye contact : Causes eye irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study)		
Symptoms/effects after skin contact Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  > 100 mg/l (96 h, Salmo trutta, Literature study)	· ·	May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure
SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study)		Causes skin irritation.
12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study)		
LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study)		
	aluminium oxide, non-fibrous (1344-28-1)	
EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study)	LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)
	EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)

5/14/2024 (Revision date) EN (English US) 4/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability			
Paco Hi Alumina Coating Mix (Mixture)			
Persistence and degradability	Not established.		
aluminium oxide, non-fibrous (1344-28-1)			
Persistence and degradability	Not applicable.		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
quartz (14808-60-7)			
Persistence and degradability	Not applicable.		
Biochemical oxygen demand (BOD)	Not applicable		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
12.3. Bioaccumulative potential			
Paco Hi Alumina Coating Mix (Mixture)			
Bioaccumulative potential	Not established.		
aluminium oxide, non-fibrous (1344-28-1)			
Bioaccumulative potential	No data available.		
quartz (14808-60-7)			
Bioaccumulative potential	No data available.		
12.4. Mobility in soil			
aluminium oxide, non-fibrous (1344-28-1)			
Surface tension	No data available in the literature		
Ecology - soil	No data available.		
12.5. Other adverse effects			
	None known     No other effects known.		
SECTION 13: Disposal considerations	. INO OUIGI GIIGOLO MIOWII.		
13.1. Disposal methods			
Product/Packaging disposal recommendations Ecology - waste materials	Dispose in a safe manner in accordance with local/national regulations.     Avoid release to the environment.		
OFOTION 44. Towns and in farmer time			

# **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

**Department of Transportation (DOT)** 

In accordance with DOT

Not regulated

**Transportation of Dangerous Goods** 

Not regulated
Transport by sea
Not regulated

Air transport

Not regulated

# SECTION 15: Regulatory information

# 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

5/14/2024 (Revision date) EN (English US) 5/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### aluminium oxide, non-fibrous (1344-28-1)

Not subject to reporting requirements of the United States SARA Section 313

Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.

# 15.2. International regulations

#### **CANADA**

Yes

#### aluminium oxide, non-fibrous (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

National regulations

#### quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

#### 15.3. US State regulations

#### **Paco Hi Alumina Coating Mix (Mixture)**

U.S. - California - Proposition 65 - Other information

This product contains crystalline silica, a chemical known to the state of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov

quartz (14808-60-7)					
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity		
_		- Female	- Male		

Component	State or local regulations
aluminium oxide, non-fibrous (1344-28-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous
	Substance List; U.S Pennsylvania - RTK (Right to Know) List
Quartz (14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List

No

# **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

No

Revision date : 5/14/2024

No

Other information : Report language name. English. In the event of any conflict between English and other language

versions, the English version shall prevail.

	reserve, and angular reserve and providing		
Full text of H-phrases			
H315	Causes skin irritation		
H320	Causes eye irritation		
H350	May cause cancer		

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

5/14/2024 (Revision date) EN (English US) 6/6