

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Date of issue: 02/11/2021 Revision date: 02/11/2021 Supersedes: 05/10/2017

#### **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Product name : Paco SD Laying Mix

CAS-No. : Mixture Product code : 0219

Other means of identification : Alumina-Silicate Speciality

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Refractory Recommended use : Industrial use

1.3. Supplier

Resco Products, Inc.

One Robinson Plaza, Suite 300

6600 Steubenville Pike

Pittsburgh, PA 15205 - United States

412-494-4491

SDS@RescoProducts.com - WWW.RescoProducts.com

1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

#### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation Category 2 H315 Causes skin irritation Serious eye damage/eye irritation Category 2B H320 Causes eye irritation

Carcinogenicity Category 1A H350 May cause cancer (Inhalation)

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US)

: H315 - Causes skin irritation
H320 - Causes eye irritation
H350 - May cause cancer (Inhalation)

Precautionary statements (GHS US) : P280 - Wear eye protection, Dust respirator, protective gloves.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P260 - Do not breathe dust.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

#### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
quartz	(CAS-No.) 14808-60-7	20 – 50	Carc. 1A, H350
sodium metasilicate	(CAS-No.) 6834-92-0	1 – 5	Skin Corr. 1A, H314 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse.

02/11/2021 EN (English US) Page 1

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

: May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure

through inhalation. Causes skin irritation. Causes eye irritation.

Symptoms/effects after eye contact Immediate medical attention and special treatment, if necessary

No additional information available

Symptoms/effects after inhalation

Symptoms/effects after skin contact

#### **SECTION 5: Fire-fighting measures**

#### Suitable (and unsuitable) extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media In case of fire, all extinguishing media allowed.

Specific hazards arising from the chemical

Fire hazard : Not flammable.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

: Do not breathe dust. **Emergency procedures** 

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

**Emergency procedures** : Ventilate area.

**Environmental precautions** 

Prevent entry to sewers and public waters.

Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust.

#### Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

## Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Avoid raising dust.

Avoid contact with skin and eyes. Do not breathe dust.

Wash Wash hands and other exposed areas with mild soap and water before eating, drinking Hygiene measures

or smoking and when leaving work thoroughly after handling.

# Conditions for safe storage, including any incompatibilities

Storage conditions Store in a dry place

#### **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

Paco SD Laving Mix (Mixture)

I aco ob Laying with (withture)		
o additional information available		
sodium metasilicate (6834-92-0)		
No additional information available		
quartz (14808-60-7)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³)	0.025 mg/m³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)	
USA - OSHA - Occupational Exposure Limits		
Local name	Silica, crystalline quartz, respirable dust	
OSHA PEL (TWA) (mg/m³)	TWA) (mg/m³) 0.05 mg/m³ respirable dust	
Remark (OSHA)	(3) See Table Z-3.	

#### **Appropriate engineering controls**

: Provide adequate ventilation to minimize dust concentrations. Appropriate engineering controls

#### Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

02/11/2021 EN (English US) 2/5

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Granular mixture.

Color : brown Odor : earthy

Odor threshold : Not applicable pH : No data available

Melting point > 2000 °F Freezing point : Not applicable Boiling point : Not applicable Critical temperature Not applicable Critical pressure Not applicable Flash point Not applicable Relative evaporation rate (butyl acetate=1) : Not applicable Relative evaporation rate (ether=1) Not applicable Flammability (solid, gas) Non flammable. Vapor pressure Not Applicable Vapor pressure at 50 °C Not Applicable Relative vapor density at 20 °C No data available

Relative density : 2-3

Solubility : Slightly soluble. Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : Not applicable Decomposition temperature : No data available Viscosity, kinematic No data available Viscosity, dynamic Not Applicable **Explosion limits** : Not applicable : No data available Explosive properties Oxidizing properties : No data available

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None known.

#### 10.2. Chemical stability

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Avoid dust formation.

## 10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

sodium metasilicate (6834-92-0
--------------------------------

LD50 oral rat 1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental value, Oral)

02/11/2021 EN (English US) 3/5

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 dermal rat	> 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))			
LC50 Inhalation - Rat	> 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))			
Skin corrosion/irritation	: Causes skin irritation.			
Serious eye damage/irritation	: Causes eye irritation.			
Respiratory or skin sensitization	: Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: May cause cancer (Inhalation).			
quartz (14808-60-7)				
IARC group	1 - Carcinogenic to humans			
Reproductive toxicity	: Not classified			
STOT-single exposure	: Not classified			
sodium metasilicate (6834-92-0)				
STOT-single exposure	May cause respiratory irritation.			
STOT-repeated exposure Aspiration hazard	: Not classified			
Viscosity, kinematic	: Not classified : No data available			
Likely routes of exposure	: Inhalation.			
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.			
symptoms	,			
Symptoms/effects after inhalation	: May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.			
Symptoms/effects after skin contact	: Causes skin irritation.			
Symptoms/effects after eye contact	: Causes eye irritation.			
SECTION 12: Ecological information				
12.1. Toxicity				
sodium metasilicate (6834-92-0)				
LC50 fish 1	210 mg/l (ISO 7346-1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value)			
EC50 Daphnia 1	1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)			
12.2. Persistence and degradability				
Paco SD Laying Mix (Mixture)				
Persistence and degradability	Not established.			
sodium metasilicate (6834-92-0)				
Persistence and degradability	Biodegradability: not applicable.			
<u> </u>	0 , 11			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
BOD (% of ThOD)	Not applicable			
quartz (14808-60-7)				
Persistence and degradability	Not applicable.			
Biochemical oxygen demand (BOD)	Not applicable			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
	inot applicable			
12.3. Bioaccumulative potential Paco SD Laying Mix (Mixture)				
Bioaccumulative potential	Not established.			
sodium metasilicate (6834-92-0)				
sodium metasilicate (6834-92-0)	Rinaccumulation: not applicable			
Bioaccumulative potential	Bioaccumulation: not applicable.			
Bioaccumulative potential quartz (14808-60-7)				
Bioaccumulative potential	Bioaccumulation: not applicable.  No data available.			
Bioaccumulative potential quartz (14808-60-7)				
Bioaccumulative potential  quartz (14808-60-7)  Bioaccumulative potential				
Bioaccumulative potential  quartz (14808-60-7)  Bioaccumulative potential  12.4. Mobility in soil				
Bioaccumulative potential  quartz (14808-60-7)  Bioaccumulative potential  12.4. Mobility in soil  sodium metasilicate (6834-92-0)  Ecology - soil	No data available.			
Bioaccumulative potential  quartz (14808-60-7)  Bioaccumulative potential  12.4. Mobility in soil  sodium metasilicate (6834-92-0)  Ecology - soil  12.5. Other adverse effects	No data available.  No (test) data on mobility of the substance available.			
Bioaccumulative potential  quartz (14808-60-7)  Bioaccumulative potential  12.4. Mobility in soil  sodium metasilicate (6834-92-0)  Ecology - soil	No data available.			

02/11/2021 EN (English US) 4/5

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION** 13: Disposal considerations

#### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

#### **SECTION 14: Transport information**

**Department of Transportation (DOT)** 

In accordance with DOT

Not regulated

**Transportation of Dangerous Goods** 

Not regulated

Transport by sea

Not applicable

Air transport

Not regulated

#### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

#### Paco SD Laying Mix (Mixture)

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### 15.2. International regulations

#### **CANADA**

#### sodium metasilicate (6834-92-0)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

#### quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

#### 15.3. US State regulations

Paco SD Laying Mix (Mixture)	
U.S California - Proposition 65 - Other	This product contains crystalline silica, a chemical known to the state of California to
information	cause cancer. For more information go to WWW.P65Warnings.ca.gov

quartz (14808-60-7)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

Component	State or local regulations
Quartz (14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 02/11/2021

Other information : Report language name. English. In the event of any conflict between English and other

language versions, the English version shall prevail.

#### Full text of H-phrases:

••	text of 11 philadee.		
H314 Causes severe skin burns and eye damage H315 Causes skin irritation		Causes severe skin burns and eye damage	
		Causes skin irritation	
	H320	Causes eye irritation	
	H335	May cause respiratory irritation	
	H350	May cause cancer	

#### SDS US (GHS HazCom 2012)

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

02/11/2021 EN (English US) 5/5