

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/1/2015 Revision date: 7/12/2024 Supersedes: 6/30/2021

SECTION 1: Identification	
1.1. Identification	
Product form Product name CAS-No. Product code Other means of identification	: Mixture : REF Ram 870FG-M : Mixture : 2381 : Plastic/Ramming Mix Refractory
I.2. Recommended use and restrictions o	
Jse of the substance/mixture	: Refractory
Recommended use	: Industrial use
1.3. Supplier Resco Products, Inc. Dne Robinson Plaza, Suite 300 5600 Steubenville Pike Pittsburgh, PA, 15205 Jnited States I 412-494-4491 SDS@RescoProducts.com - WWW.RescoProduct	s.com
1.4. Emergency telephone number	
Emergency number	: EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mix	
2.1. Classification of the substance of mix GHS US classification	
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B Carcinogenicity Category 1A Full text of H statements : see section 16	 H315 Causes skin irritation H320 Causes eye irritation H350 After drying May cause cancer (Inhalation)
2.2. GHS Label elements, including preca	utionary statements
GHS US labeling Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US)	 Danger H315 - Causes skin irritation H320 - Causes eye irritation H350 - After drying May cause cancer (Inhalation)
Precautionary statements (GHS US)	 P280 - Wear eye protection, Dust respirator, protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P260 - Do not breathe dust.
2.3. Other hazards which do not result in	classification
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
No additional information available	
SECTION 3: Composition/Information	on ingredients
3.1. Substances	
lot applicable	
3.2. Mixtures	
Name	Product identifier % GHS US classification
aluminium oxide, non-fibrous	CAS-No.: 1344-28-1 50 – 75 Not classified
quartz	CAS-No.: 14808-60-7 1 – 5 Carc. 1A, H350 CAS-No.: 14464-46-1 0.1 – 0.5 Carc. 1A, H350
cristobalite	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Gently wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects ((acute and delayed)
Potential Adverse human health effects and	: Danger of serious damage to health by prolonged exposure through inhalation.
symptoms Symptoms/effects after inhalation	: After drying or heating. Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation.
Symptoms/effects after skin contact Symptoms/effects after eye contact	: Causes skin irritation. : Causes eye irritation.
4.3. Immediate medical attention and specia	al treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	
Suitable extinguishing media	: All extinguishing media allowed.
Unsuitable extinguishing media	: In case of fire, all extinguishing media allowed.
5.2. Specific hazards arising from the chem	
Fire hazard	: Not flammable.
5.3. Special protective equipment and preca	autions for fire-fighters
Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from
Protection during firefighting	entering environment. : Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measur	
6.1. Personal precautions, protective equip	ment and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures	: Avoid contact with skin and eyes.
6.1.2. For emergency responders	. Avoid contact with skin and eyes.
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: On land, sweep or shovel into suitable containers.
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	
6.3. Methods and material for containment a	
Methods for cleaning up	: On land, sweep or shovel into suitable containers.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal prot	ection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eves. After drving Do not breathe dust.
Hygiene measures	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including a	
Storage conditions	: Store this product in a dry location where it can be protected from the elements.
SECTION 8: Exposure controls/persona	
8.1. Control parameters	
REF Ram 870FG-M (Mixture)	
No additional information available	
cristobalite (14464-46-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.025 mg/m ³ respirable dust

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cristobalite (14464-46-1)	
USA - OSHA - Occupational Exposure Limits	0.05 mg/m ³ respirable dust
OSHA PEL (TWA) [1] aluminium oxide, non-fibrous (1344-28-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	1 mg/m ³ respirable dust
quartz (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.025 mg/m ³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)
USA - OSHA - Occupational Exposure Limits	
Local name OSHA PEL (TWA) [1]	Silica, crystalline quartz, respirable dust
Remark (OSHA)	0.05 mg/m ³ respirable dust (3) See Table Z-3.
8.2. Appropriate engineering controls	
	Dust when sawing or tear out. Provide adequate ventilation to minimize dust concentrations.
8.3. Individual protection measures/Personal	
Personal protective equipment:	
Avoid all unnecessary exposure.	
Hand protection:	
Wear protective gloves.	
Eye protection:	
Chemical goggles or safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
After air drying or heating. Dust on tear out. Wear appr	ropriate mask
Other information: Do not eat, drink or smoke during use.	
SECTION 9: Physical and chemical prope	erties
9.1. Information on basic physical and chemic	
	cal properties
Physical state :	Solid
Physical state : Appearance :	Solid Plastic.
Physical state :	Solid
Physical state : Appearance : Color :	Solid Plastic. Gray
Physical state : Appearance : Color : Odor : Odor threshold : pH :	Solid Plastic. Gray earthy No data available No data available
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:	Solid Plastic. Gray earthy No data available No data available > 3000 °F
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:Freezing point:	Solid Plastic. Gray earthy No data available No data available
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:	Solid Plastic. Gray earthy No data available > 3000 °F No data available
Physical state : Appearance : Color : Odor : Odor threshold : pH : Melting point : Freezing point : Boiling point : Flash point : Relative evaporation rate (butyl acetate=1) :	Solid Plastic. Gray earthy No data available > 3000 °F No data available No data available No data available No data available No data available
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:Freezing point:Boiling point:Flash point:Relative evaporation rate (butyl acetate=1):Flammability (solid, gas):	Solid Plastic. Gray earthy No data available > 3000 °F No data available No data available No data available No data available No data available No data available No data available
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:Freezing point:Boiling point:Flash point:Relative evaporation rate (butyl acetate=1):Flammability (solid, gas):Vapor pressure:	Solid Plastic. Gray earthy No data available > 3000 °F No data available No data available
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:Freezing point:Boiling point:Flash point:Relative evaporation rate (butyl acetate=1):Flammability (solid, gas):	Solid Plastic. Gray earthy No data available > 3000 °F No data available No data available No data available No data available No data available No data available No data available
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:Freezing point:Boiling point:Flash point:Relative evaporation rate (butyl acetate=1):Flammability (solid, gas):Vapor pressure:Relative vapor density at 20°C:Relative density:Solubility:	Solid Plastic. Gray earthy No data available No data available > 3000 °F No data available No data available ≈ 2.8 Slightly soluble.
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:Freezing point:Boiling point:Flash point:Flash point:Flash point:Flaw por pressure:Vapor pressure:Relative vapor density at 20°C:Relative density:Solubility:Partition coefficient n-octanol/water (Log Pow):	Solid Plastic. Gray earthy No data available No data available > $3000 ^{\circ}F$ No data available No data available
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:Freezing point:Boiling point:Flash point:Relative evaporation rate (butyl acetate=1):Flammability (solid, gas):Vapor pressure:Relative density:Solubility:Partition coefficient n-octanol/water (Log Pow):Auto-ignition temperature:	Solid Plastic. Gray earthy No data available No data available > 3000 °F No data available No data available
Physical state:Appearance:Color:Odor threshold:pH:Melting point:Freezing point:Boiling point:Flash point:Relative evaporation rate (butyl acetate=1):Flammability (solid, gas):Vapor pressure:Relative density:Solubility:Partition coefficient n-octanol/water (Log Pow):Auto-ignition temperature:Decomposition temperature:	Solid Plastic. Gray earthy No data available No data available > $3000 ^{\circ}F$ No data available No data available
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:Freezing point:Boiling point:Flash point:Relative evaporation rate (butyl acetate=1):Flammability (solid, gas):Vapor pressure:Relative density:Solubility:Partition coefficient n-octanol/water (Log Pow):Auto-ignition temperature:	Solid Plastic. Gray earthy No data available No data available > 3000 °F No data available No data available
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:Freezing point:Boiling point:Flash point:Relative evaporation rate (butyl acetate=1):Flammability (solid, gas):Vapor pressure:Relative density:Solubility:Partition coefficient n-octanol/water (Log Pow):Auto-ignition temperature:Decomposition temperature:Viscosity, kinematic:Explosion limits:	Solid Plastic. Gray earthy No data available $> 3000 ^{\circ}F$ No data available No data available
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:Freezing point:Boiling point:Flash point:Relative evaporation rate (butyl acetate=1):Flammability (solid, gas):Vapor pressure:Relative density:Solubility:Partition coefficient n-octanol/water (Log Pow):Auto-ignition temperature:Decomposition temperature:Viscosity, kinematic:Viscosity, dynamic:Explosion limits:Explosive properties:	Solid Plastic. Gray earthy No data available $> 3000 ^{\circ}F$ No data available No data available
Physical state:Appearance:Color:Odor:Odor threshold:pH:Melting point:Freezing point:Boiling point:Flash point:Relative evaporation rate (butyl acetate=1):Flammability (solid, gas):Vapor pressure:Relative density:Solubility:Partition coefficient n-octanol/water (Log Pow):Auto-ignition temperature:Viscosity, kinematic:Viscosity, dynamic:Explosion limits:	Solid Plastic. Gray earthy No data available $> 3000 ^{\circ}F$ No data available No data available

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity	
10.1. Reactivity	
Air Setting.	
10.2. Chemical stability	
Stable under normal conditions of use.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
	: Not classified
Acute toxicity (dermal)	: Not classified
	: Not classified
aluminium oxide, non-fibrous (1344-28-1)	
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female,
LC50 Inhalation - Rat	Experimental value, Oral, 14 day(s)) > 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value,
	Inhalation (aerosol), 14 day(s))
Skin corrosion/irritation	: Causes skin irritation.
cristobalite (14464-46-1)	
H	6 - 7
aluminium oxide, non-fibrous (1344-28-1)	
pH	9 – 10.5 (aqueous suspension, 33 %)
quartz (14808-60-7)	
H	6 - 7
Serious eye damage/irritation	: Causes eye irritation.
cristobalite (14464-46-1)	
pH	6-7
aluminium oxide, non-fibrous (1344-28-1)	·
pH	9 – 10.5 (aqueous suspension, 33 %)
quartz (14808-60-7)	
pH	6-7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: After drying May cause cancer (Inhalation).
quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: Not Applicable
aluminium oxide, non-fibrous (1344-28-1)	Net applicable (calid)
Viscosity, kinematic	Not applicable (solid)
Potential Adverse human health effects and symptoms	: Danger of serious damage to health by prolonged exposure through inhalation.
	: After drying or heating. Danger of serious damage to health by prolonged exposure through
	inhalation. May cause cancer by inhalation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes eye irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information	
12.1. Toxicity	
aluminium oxide, non-fibrous (1344-28-1)	
LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)
EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)
12.2. Persistence and degradability	
REF Ram 870FG-M (Mixture)	
Persistence and degradability	Not established.
cristobalite (14464-46-1)	
Persistence and degradability	Mineral. Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
aluminium oxide, non-fibrous (1344-28-1)	
Persistence and degradability	Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
quartz (14808-60-7)	
Persistence and degradability	Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
12.3. Bioaccumulative potential	
REF Ram 870FG-M (Mixture)	
Bioaccumulative potential	Not established.
cristobalite (14464-46-1)	
Bioaccumulative potential	No data available.
aluminium oxide, non-fibrous (1344-28-1)	
Bioaccumulative potential	No data available.
quartz (14808-60-7)	
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
cristobalite (14464-46-1)	
Ecology - soil	No data available.
aluminium oxide, non-fibrous (1344-28-1)	
Surface tension	No data available in the literature
Ecology - soil	No data available.
12.5. Other adverse effects	
	None known
5 S	No other effects known.
SECTION 13: Disposal considerations	
13.1. Disposal methods	
	Dispose in a safe manner in accordance with local/national regulations.
SECTION 14: Transport information	
In accordance with DOT / TDG / IMDG / IATA Department of Transportation (DOT) In accordance with DOT Not regulated Transportation of Dangerous Goods Not regulated Transport by sea	
Not regulated Air transport	
Not regulated	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	town information				
SECTION 15: Regulatory information					
15.1. US Federal regula	ations				
All components of this proc (TSCA) inventory	duct are present and listed a	s Active on the United St	tates Environmental Pro	tection Agency Toxic Su	ubstances Control Act
aluminium oxide, non-	fibrous (1344-28-1)				
	uirements of the United Sta	tes SARA Section 313			
Note	Aluminum o	Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.			13 material. Only
15.2. International regu	15.2. International regulations				
CANADA					
cristobalite (14464-46-					
Listed on the Canadian DS	L (Domestic Substances Lis	st)			
aluminium oxide, non- Listed on the Canadian DS EU-Regulations No additional information av National regulations	L (Domestic Substances Lis	st)			
quartz (14808-60-7)					
Listed on IARC (Internation	hal Agency for Research on	Cancer)			
15.3. US State regulation	ons				
REF Ram 870FG-M (Mi	ixture)				
U.S California - Proposition 65 - Other information This product contains crystalline silica, a chemical known to the state of California cancer. For more information go to WWW.P65Warnings.ca.gov		f California to cause			
cristobalite (14464-46-	1)				
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 - Carcinogens List	Proposition 65 - Developmental Toxicity	Proposition 65 - Reproductive Toxicity - Female	Proposition 65 - Reproductive Toxicity - Male	level (NSRL)	dose level (MADL)
Yes	No	No	No		

quartz (14808-60-7)					
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity		
		- Female	- Male		
Yes	No	No	No		

Component	State or local regulations
Cristobalite (14464-46-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
aluminium oxide, non-fibrous (1344-28-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Quartz (14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List
SECTION 16: Other information	
according to Federal Register / Vol. 77, No. 58 / N	/onday, March 26, 2012 / Rules and Regulations
Revision date	: 7/12/2024
Other information	 Report language name. English. In the event of any conflict between English and other language versions, the English version shall prevail.

versions, the English version shall prevail.		
Full text of H-phrases		
H315	Causes skin irritation	
H320	Causes eye irritation	
H350	May cause cancer	
Safety Data Sheet (SDS), USA		

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.