

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) Issue date: 9/9/2015 Revision date: 12/3/2025 Supersedes: 3/21/2023

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : Resco LR
CAS-No. : Mixture
Product code : 0280

1.2. Other means of identification

Other means of identification : Plastic/Ramming Mix Refractory

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Refractory Recommended use : Industrial use

1.4. Supplier's details

RHI Magnesita

425 South Salem Church Road

York, PA, 17408 United States T 717-792-3611

Resco SDS.TDS@rhimagnesita.com - WWW.RescoProducts.com

1.5. Emergency phone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation, Category 2 H315 Causes skin irritation. Serious eye damage/eye irritation, Category 2B H320 Causes eye irritation.

Carcinogenicity, Category 1A H350 After drying May cause cancer (Inhalation).

Full text of H statements: see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US)

: H315 - Causes skin irritation

H320 - Causes eye irritation

H350 - After drying May cause cancer (Inhalation).

Precautionary statements (GHS US) : P280 - Wear eye protection, Dust respirator, protective gloves.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P332+P313 - If skin irritation occurs: Get medical advice or attention. P337+P313 - If eye irritation persists: Get medical advice or attention.

P260 - Do not breathe dust.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
aluminium oxide, non-fibrous	CAS-No.: 1344-28-1	60 – 80	Not classified
phosphoric acid, conc=75%, aqueous solution	CAS-No.: 7664-38-2	5 – 10	Skin Corr. 1B, H314

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Name	Product identifier	%	GHS US classification
aluminium sulphate	CAS-No.: 10043-01-3	1 – 5	Skin Corr. 1A, H314
quartz	CAS-No.: 14808-60-7	0.5 – 1	Carc. 1A, H350
cristobalite	CAS-No.: 14464-46-1	0.1 - 0.5	Carc. 1A, H350

Full text of hazard classes and H-statements: see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Gently wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms/effects, acute and delayed

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

Symptoms/effects after inhalation : After drying or heating. Danger of serious damage to health by prolonged exposure through

inhalation. May cause cancer by inhalation.

Symptoms/effects after skin contact : Causes skin irritation. Symptoms/effects after eye contact : Causes eye irritation.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : In case of fire, all extinguishing media allowed.

5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from

entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes.

For emergency responders
Protective equipment

: Equip cleanup crew with proper protection.: On land, sweep or shovel into suitable containers.

Emergency procedures : On land, sweep or shovel into suitable conta Environmental precautions : Prevent entry to sewers and public waters.

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers

See Heading 8,Exposure controls and personal protection

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Avoid contact with

skin and eyes. After drying Do not breathe dust.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Store this product in a dry location where it can be protected from the elements.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits

ACGIH® TLV® TWA 0.025 mg/m³ respirable dust

12/3/2025 (Revision date) EN (English US) 2/8

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

cristobalite (14464-46-1)	
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA	0.05 mg/m³ respirable dust
aluminium oxide, non-fibrous (1344-28-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® TWA	1 mg/m³ respirable dust
quartz (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® TWA	0.025 mg/m³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)
USA - OSHA - Occupational Exposure Limits	
Local name	Silica, crystalline quartz, respirable dust
OSHA PEL TWA	0.05 mg/m³ respirable dust
Remark (OSHA)	(3) See Table Z-3.
8.2. Appropriate engineering controls	
A	

Appropriate engineering controls Emergency eye wash fountain with clean water. After drying or heating. Dust on tear out. Provide adequate ventilation to minimize dust concentrations.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

After air drying or heating. Dust on tear out. Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state Solid Appearance Plastic.

Off-white Light gray Color Odor Acid Odor Odor threshold No data available < 3 pН > 2000 °F Melting point

Freezing point ≈ 32 °F Boiling point No data available Flash point No data available Flammability (solid, gas) Not flammable. Vapor pressure No data available

Relative vapor density at 20°C No data available Relative density ≈ 2.8

Slightly soluble. Solubility Partition coefficient n-octanol/water (Log Pow) No data available Auto-ignition temperature No data available Decomposition temperature No data available Viscosity, kinematic No data available **Explosion limits** No data available Particle characteristics No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

12/3/2025 (Revision date) EN (English US) 3/8

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

according to 29 CFR § 1910.1200, Hazard Communication Star	ccording to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)			
SECTION 10 Stability and reactivity				
10.1. Reactivity				
Air Setting.				
10.2. Chemical stability				
Stable under normal conditions of use.				
10.3. Possibility of hazardous reactions				
Not established.				
10.4. Conditions to avoid				
No additional information available				
10.5. Incompatible materials				
No additional information available				
10.6. Hazardous decomposition products				
No additional information available				
SECTION 11 Toxicological information				
11.1. Information on toxicological effects	Not decided			
	Not classified Not classified			
	Not classified			
aluminium oxide, non-fibrous (1344-28-1)				
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))			
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))			
phosphoric acid, conc=75%, aqueous solutio	n (7664-38-2)			
ATE US (oral)	4400 mg/kg body weight			
aluminium sulphate (10043-01-3)				
LD50 oral rat	2000 – 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Hydrate form, Oral, 14 day(s))			
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Hydrate form, Dermal, 14 day(s))			
LC50 Inhalation - Rat	> 5 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value of similar product, Aqueous solution, Inhalation (aerosol), 14 day(s))			
Skin corrosion/irritation :	Causes skin irritation. pH: < 3			
cristobalite (14464-46-1)	pri. 40			
рН	6 – 7			
aluminium oxide, non-fibrous (1344-28-1)				
рН	9 – 10.5 (aqueous suspension, 33 %)			
phosphoric acid, conc=75%, aqueous solutio	n (7664-38-2)			
рН	0 – 0.5 (20 °C)			
quartz (14808-60-7)				
рН	6 – 7			
aluminium sulphate (10043-01-3)				
рН	2 (8 %)			
Serious eye damage/irritation :	Causes eye irritation. pH: < 3			

12/3/2025 (Revision date) EN (English US) 4/8

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

cristobalite (14464-46-1)	
рН	6 – 7
aluminium oxide, non-fibrous (1344-28-1)	
рН	9 – 10.5 (aqueous suspension, 33 %)
phosphoric acid, conc=75%, aqueous solution	n (7664-38-2)
рН	0 – 0.5 (20 °C)
quartz (14808-60-7)	
рН	6 – 7
aluminium sulphate (10043-01-3)	
рН	2 (8 %)
Respiratory or skin sensitization : Germ cell mutagenicity : Carcinogenicity :	Not classified Not classified After drying May cause cancer (Inhalation).
quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
STOT-single exposure : STOT-repeated exposure :	Not classified Not classified Not classified Not classified Not classified
aluminium oxide, non-fibrous (1344-28-1)	
Viscosity, kinematic	Not applicable (solid)
aluminium sulphate (10043-01-3)	
Viscosity, kinematic	Not applicable (solid)
symptoms Symptoms/effects after inhalation : Symptoms/effects after skin contact :	Based on available data, the classification criteria are not met. After drying or heating. Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation. Causes skin irritation. Causes eye irritation.
SECTION 12 Ecological information	Causes eye initiation.
12.1. Ecotoxicity	
(acute)	Not classified Not classified
aluminium oxide, non-fibrous (1344-28-1)	
LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)
EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)
aluminium sulphate (10043-01-3)	
LC50 - Fish [1]	> 88 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, Aluminium)
EC50 - Crustacea [1]	> 200 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	14 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

12.2. Persistence and degradability	
Resco LR (Mixture)	
Persistence and degradability	Not established.
cristobalite (14464-46-1)	
Persistence and degradability	Mineral, Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
aluminium oxide, non-fibrous (1344-28-1)	
Persistence and degradability	Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
phosphoric acid, conc=75%, aqueous solution	n (7664-38-2)
Persistence and degradability	Biodegradability: not applicable.
quartz (14808-60-7)	
Persistence and degradability	Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
aluminium sulphate (10043-01-3)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
12.3. Bioaccumulative potential	
Resco LR (Mixture)	
Bioaccumulative potential	Not established.
cristobalite (14464-46-1)	
Bioaccumulative potential	No data available.
aluminium oxide, non-fibrous (1344-28-1)	
Bioaccumulative potential	No data available.
phosphoric acid, conc=75%, aqueous solution	n (7664-38-2)
Bioaccumulative potential	No test data of component(s) available.
quartz (14808-60-7)	
Bioaccumulative potential	No data available.
aluminium sulphate (10043-01-3)	
Bioaccumulative potential	Not bioaccumulative.
12.4. Mobility in soil	
cristobalite (14464-46-1)	
Ecology - soil	No data available.

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

aluminium oxide, non-fibrous (1344-28-1)			
Surface tension Not applicable (water solubility < 1 mg/l)			
Ecology - soil No data available.			
phosphoric acid, conc=75%, aqueous solution (7664-38-2)			
Ecology - soil Highly mobile in soil.			
aluminium sulphate (10043-01-3)			
Surface tension	73 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)		
Ecology - soil	No (test) data on mobility of the substance available.		

12.5. Other adverse effects

Ozone : Not classified Effect on the global warming : None known Fluorinated greenhouse gases : No

Other information : No other effects known.

SECTION 13 Disposal considerations

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not regulated
Transport by sea
Not regulated
Air transport
Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Commercial clarac or compensite according to the	definitional dialactic description according to the critical dialoc Environmental Protection Agone Capacianoco Control Protection				
Name	CAS-No.	Listing	Commercial	Flags	
			status		
cristobalite	14464-46-1	Present	Active		
aluminium oxide, non-fibrous	1344-28-1	Exempted	Active		
phosphoric acid, conc=75%, aqueous solution	7664-38-2	Present	Active		
quartz	14808-60-7	Present	Active		
aluminium sulphate	10043-01-3	Present	Active		

aluminium oxide, non-fibrous (1344-28-1)

Not subject to reporting requirements of the United States SARA Section 313

Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.

phosphoric acid, conc=75%, aqueous solution (7664-38-2)

Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ 5000 lb

aluminium sulphate (10043-01-3)

Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ 5000 lb

15.2. International regulations

CANADA

cristobalite (14464-46-1)

Listed on the Canadian DSL (Domestic Substances List)

aluminium oxide, non-fibrous (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

12/3/2025 (Revision date) EN (English US) 7/8

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

phosphoric acid, conc=75%, aqueous solution (7664-38-2)

Listed on the Canadian DSL (Domestic Substances List)

aluminium sulphate (10043-01-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. State regulations

Resco LR (Mixture)

U.S. - California - Proposition 65 - Other information

This product contains crystalline silica, a chemical known to the state of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov

cristobalite (14464-46-1)

OF FOFFI OJIIDGOJOHO	<u>'</u> /				
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity		
_		- Female	- Male		
Yes	No	No	No		

quartz (14808-60-7)

quartz (14000 00 1)					
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity		
		- Female	- Male		
Yes	No	No	No		

Component	State or local regulations
cristobalite(14464-46-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
aluminium oxide, non-fibrous(1344-28-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know
phosphoric acid, conc=75%, aqueous solution(7664-38-2)	Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK
pricepriorio asia, como 1070, aquestas conación (1001 co 2)	(Right to Know) List
quartz(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List
aluminium sulphate(10043-01-3)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date : 12/3/2025 Issue date : 9/9/2015

Other information : Report language name. English. In the event of any conflict between English and other language

versions, the English version shall prevail.

Full text of I	nazard classes and H-statements
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H320	Causes eye irritation
H350	May cause cancer.

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, RHI Magnesita makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

12/3/2025 (Revision date) EN (English US) 8/8