

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 12/30/2021 Revision date: 12/30/2021 Supersedes: 04/01/2019

## **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Product name : Unicrete 80LC SC15

CAS-No. : Mixture
Product code : 3648

Other means of identification : Alumina-Silicate Cement Bonded Castable

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Refractory Recommended use : Industrial use

I.3. Supplier

Resco Products. Inc.

One Robinson Plaza, Suite 300

6600 Steubenville Pike

Pittsburgh, PA 15205 - United States

412-494-4491

SDS@RescoProducts.com - WWW.RescoProducts.com

1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

## SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

**GHS US classification** 

Skin corrosion/irritation Category 2 H315 Causes skin irritation Serious eye damage/eye irritation Category 2B H320 Causes eye irritation

Carcinogenicity Category 1A H350 May cause cancer (Inhalation)

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

**GHS US labeling** 

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US)

: H315 - Causes skin irritation
H320 - Causes eye irritation
H350 - May cause cancer (Inhalation)

Precautionary statements (GHS US) : P280 - Wear eye protection, Dust respirator, protective gloves.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P260 - Do not breathe dust.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
aluminium oxide, non-fibrous	(CAS-No.) 1344-28-1	50 – 75	Not classified
silicon carbide	(CAS-No.) 409-21-2	10 – 20	Carc. 1B, H350
Calcium Aluminate Cement	(CAS-No.) 65997-16-2	5 – 10	Skin Irrit. 2, H315 Eye Irrit. 2B, H320
cristobalite	(CAS-No.) 14464-46-1	0.5 – 1	Carc. 1A, H350

Full text of hazard classes and H-statements : see section 16

#### **SECTION 4: First-aid measures**

4.1.	Dage	maio m o			measures
4.	Descri	mion o	HIIST	ain	measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

12/27/2021 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wash with plenty of soap and water. Wash contaminated clothing before reuse. First-aid measures after skin contact

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

Based on available data, the classification criteria are not met.

and easy to do. Continue rinsing.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most important symptoms and effects (acute and delayed) 4.2.

symptoms

Symptoms/effects after inhalation : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.

Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact : Causes eye irritation.

#### Immediate medical attention and special treatment, if necessary

No additional information available

#### **SECTION 5: Fire-fighting measures**

Potential Adverse human health effects and

#### Suitable (and unsuitable) extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.

: In case of fire, all extinguishing media allowed. Unsuitable extinguishing media

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering

environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Do not breathe dust.

#### 6.1.2. For emergency responders

Protective equipment Equip cleanup crew with proper protection.

**Emergency procedures** : Ventilate area.

#### 6.2. **Environmental precautions**

Prevent entry to sewers and public waters.

#### Methods and material for containment and cleaning up 6.3.

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust.

# Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

#### Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Avoid raising dust.

Avoid contact with skin and eyes. Do not breathe dust.

Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

#### Conditions for safe storage, including any incompatibilities

Storage conditions : Store this product in a dry location where it can be protected from the elements.

Incompatible products Strong bases. Strong acids.

# SECTION 8: Exposure controls/personal protection

#### **Control parameters**

Unicrete 80LC SC15 (Mixture)			
No additional information available			
Calcium Aluminate Cement (65997-16-2)			
No additional information available			
cristobalite (14464-46-1)			
USA - ACGIH - Occupational Exposure Limits			
ACGIH TWA (mg/m³)	0.025 mg/m³ respirable dust		
USA - OSHA - Occupational Exposure Limits			
OSHA PEL (TWA) (mg/m³)	0.05 mg/m³ respirable dust		
silicon carbide (409-21-2)			
USA - ACGIH - Occupational Exposure Limits			
ACGIH TWA (mg/m³)	3 mg/m³ (Silicon carbide, nonfibrous; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica.		

12/27/2021 EN (English US) 2/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

aluminium oxide, non-fibrous (1344-28-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (mg/m³)	1 mg/m³ respirable dust

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Provide adequate ventilation to minimize dust concentrations.

8.3. Individual protection measures/Personal protective equipment

## Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Granular mixture.

Color : Gray
Odor : earthy

Odor threshold : Not applicable pH : No data available Melting point : > 2500 °F

Freezing point : Not applicable : Not applicable Boiling point Critical temperature Not applicable Critical pressure Not applicable Flash point Not applicable Relative evaporation rate (butyl acetate=1) : Not applicable Relative evaporation rate (ether=1) Not applicable Flammability (solid, gas) Non flammable.

Vapor pressure : Not Applicable
Vapor pressure at 50 °C : Not Applicable
Relative vapor density at 20 °C : No data available
Relative density : No data available
Solubility : Slightly soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available
Auto-ignition temperature : Not applicable
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : Not Applicable
Explosion limits : Not applicable
Explosive properties : No data available

Explosive properties : No data available
Oxidizing properties : No data available

# **9.2.** Other information No additional information available

#### **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Hydraulic setting.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Avoid dust formation.

12/27/2021 EN (English US) 3/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, Mar	rch 26, 2012 / Rules and Regulations			
10.5. Incompatible materials				
Strong acids. Strong bases.				
10.6. Hazardous decomposition products No additional information available				
<b>SECTION 11: Toxicological information</b>				
11.1. Information on toxicological effects				
Acute toxicity (oral) :	Not classified			
	Not classified Not classified			
Acute toxicity (inhalation) : silicon carbide (409-21-2)	Not classified			
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat,			
EDOU GIAI TAL	Female, Experimental value, Oral)			
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)			
aluminium oxide, non-fibrous (1344-28-1)				
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)			
LC50 Inhalation - Rat	7.6 mg/l air (Equivalent or similar to OECD 403, 1 h, Rat, Male, Experimental value, Inhalation (aerosol))			
Skin corrosion/irritation :	Causes skin irritation.			
Serious eye damage/irritation :	Causes eye irritation.			
Respiratory or skin sensitization : Germ cell mutagenicity :	Not classified  Not classified			
Carcinogenicity :	May cause cancer (Inhalation).			
silicon carbide (409-21-2)				
IARC group	2A - Probably carcinogenic to humans			
Reproductive toxicity :	Not classified			
STOT-single exposure : STOT-repeated exposure :	Not classified Not classified			
Aspiration hazard :	Not classified			
Viscosity, kinematic :	No data available			
Potential Adverse human health effects and :	Based on available data, the classification criteria are not met.			
symptoms Symptoms/effects after inhalation :	May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure			
Cymptomoreneous and mindration .	through inhalation.			
Symptoms/effects after skin contact :	Causes skin irritation.			
Symptoms/effects after eye contact : SECTION 12: Ecological information	Causes eye irritation.			
12.1. Toxicity  No additional information available				
12.2. Persistence and degradability				
Unicrete 80LC SC15 (Mixture)				
Persistence and degradability	Not established.			
cristobalite (14464-46-1)				
Persistence and degradability	Mineral. Not applicable.			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
BOD (% of ThOD)	Not applicable			
silicon carbide (409-21-2)				
Persistence and degradability	Biodegradability: not applicable.			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
BOD (% of ThOD)	Not applicable			
aluminium oxide, non-fibrous (1344-28-1)				
Persistence and degradability	Not applicable.			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
12.3. Bioaccumulative potential				
Unicrete 80LC SC15 (Mixture)				
Bioaccumulative potential	Not established.			

12/27/2021 EN (English US) 4/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cristobalite (14464-46-1)		
Bioaccumulative potential	No data available.	
silicon carbide (409-21-2)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
aluminium oxide, non-fibrous (1344-28-1)		
Bioaccumulative potential	No data available.	

#### 12.4. Mobility in soil

Ecology - soil

cristobalite (14464-46-1)			
Ecology - soil	No data available.		
aluminium oxide, non-fibrous (1344-28-1)			

#### 12.5. Other adverse effects

Effect on the global warming None known
Other information : No other effects known

#### **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Ecology - waste materials : Avoid release to the environment.

No data available.

# **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT

Not regulated

**Transportation of Dangerous Goods** 

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

## **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

#### Unicrete 80LC SC15 (Mixture)

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### aluminium oxide, non-fibrous (1344-28-1)

Not subject to reporting requirements of the United States SARA Section 313

Note

Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.

## 15.2. International regulations

#### **CANADA**

# Calcium Aluminate Cement (65997-16-2)

Listed on the Canadian DSL (Domestic Substances List)

# cristobalite (14464-46-1)

Listed on the Canadian DSL (Domestic Substances List)

## silicon carbide (409-21-2)

Listed on the Canadian DSL (Domestic Substances List)

#### aluminium oxide, non-fibrous (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

#### silicon carbide (409-21-2)

Listed on IARC (International Agency for Research on Cancer)

#### 15.3. US State regulations

Unicrete 80LC SC15 (Mixture)	
U.S California - Proposition 65 - Other	This product contains crystalline silica, a chemical known to the state of California to
information	cause cancer. For more information go to WWW.P65Warnings.ca.gov

12/27/2021 EN (English US) 5/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cristobalite (14464-46-1)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

Component	State or local regulations
aluminium oxide, non-fibrous (1344-28-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Cristobalite (14464-46-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
silicon carbide (409-21-2)	U.S New Jersey - Right to Know Hazardous Substance List

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date 12/30/2021

: Report language name. English. In the event of any conflict between English and other language versions, the English version shall prevail. Other information

#### Full text of H-phrases:

H315	Causes skin irritation
H320	Causes eye irritation
H350	May cause cancer

#### SDS US (GHS HazCom 2012)

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

12/27/2021 EN (English US) 6/6