

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 12/11/2023 Revision date: 12/11/2023 Supersedes: 12/30/2021

SECTION 1: Identification					
1.1. Identification					
Product form Product name CAS-No. Product code Other means of identification	: Mixture : Unicrete 94 : Mixture : 3156 : Alumina Cement B	: Unicrete 94 : Mixture : 3156			
.2. Recommended use and restrictions o					
Jse of the substance/mixture	: Refractory				
Recommended use	: Industrial use				
1.3. Supplier					
Resco Products, Inc. One Robinson Plaza, Suite 300 600 Steubenville Pike Pittsburgh, PA, 15205 Jnited States 12-494-4491 6DS@RescoProducts.com - <u>WWW.RescoProduct</u>	s.com				
1.4. Emergency telephone number					
Emergency number		NLY (CHEMTREC) USA 8	Canada 1-800)-424-9300	
SECTION 2: Hazard(s) identification	Outside USA & Ca	anada +1 703-741-5970			
· · · ·					
2.1. Classification of the substance or mi	cture				
GHS US classification Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B Carcinogenicity Category 1A Full text of H statements : see section 16	H	315Causes ski320Causes eye350May cause		tion)	
2.2. GHS Label elements, including preca	utionary statements				
GHS US labeling Hazard pictograms (GHS US)					
Signal word (GHS US) łazard statements (GHS US) Precautionary statements (GHS US)	 Danger H315 - Causes skin irritation H320 - Causes eye irritation H350 - May cause cancer (Inhalation) P280 - Wear eye protection, Dust respirator, protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P360 - Do not breathe dust/fume/gas/mist/vapors/spray. 				
2.3. Other hazards which do not result in	classification				
No additional information available					
2.4. Unknown acute toxicity (GHS US)					
lo additional information available					
SECTION 3: Composition/Information	on ingredients				
3.1. Substances					
lot applicable					
3.2. Mixtures					
Name		Product identifier	%	GHS US classification	
aluminium oxide, non-fibrous		CAS-No.: 1344-28-1	75 – 95	Not classified	
Calcium Aluminate Cement		CAS-No.: 65997-16-2	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2B, H320	
			0.1 – 0.5	Carc. 1A, H350	
cristobalite		CAS-No.: 14464-46-1	0.1 - 0.5	Carc. 1A, n350	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Gently wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth. Get medical advice/attention if you feel unwell. Do not induce vomiting.
4.2. Most important symptoms and effects (
Symptoms/effects after inhalation	: May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes eye irritation.
4.3. Immediate medical attention and specia	I treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	media
Suitable extinguishing media Unsuitable extinguishing media	 Use extinguishing media appropriate for surrounding fire. In case of fire, all extinguishing media allowed.
5.2. Specific hazards arising from the chem	ical
Fire hazard	: Non-flammable.
5.3. Special protective equipment and preca	utions for fire-fighters
Firefighting instructions	: No specific fire-fighting instructions required.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measure	es
6.1. Personal precautions, protective equip	nent and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment 6.1.2. For emergency responders	: Avoid creating or spreading dust.
Protective equipment	: Equip cleanup crew with proper protection.
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	
6.3. Methods and material for containment a	ind cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: On land, sweep or shovel into suitable containers.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Do not breathe dust.
Hygiene measures	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including a	
Storage conditions	: Store this product in a dry location where it can be protected from the elements.
Incompatible products	 Strong bases. Strong acids.
SECTION 8: Exposure controls/persona	Il protection
8.1. Control parameters	
Unicrete 94 (Mixture)	
No additional information available	
aluminium oxide, non-fibrous (1344-28-1)	
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA	1 mg/m ³ respirable dust
Calcium Aluminate Cement (65997-16-2)	
No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cristobalite (14464-46-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.025 mg/m ³ respirable dust
USA - OSHA - Occupational Exposure Limits	
OSHA PEL (TWA) [1]	0.05 mg/m ³ respirable dust
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Provide adequate ventilation to minimize dust concentrations.
8.3. Individual protection measures/Perso	
Personal protective equipment: Avoid all unnecessary exposure.	
Hand protection:	
Wear protective gloves.	
Eye protection:	
Chemical goggles or safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
Wear appropriate mask	
SECTION 9: Physical and chemical pr	operties
9.1. Information on basic physical and che	emical properties
Physical state	: Solid
Appearance Color	: Granular mixture. : white
Odor	: odorless
Odor threshold	: No data available
pH Molting point	: No data available : > 3000 °F
Melting point Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable.
Vapor pressure Relative vapor density at 20°C	: No data available : No data available
Relative density	: ≈ 2.7
Solubility	: Slightly soluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature Viscosity, kinematic	: No data available : No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Hydraulic setting. 10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials No additional information available	
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified Not classified Not classified
aluminium oxide, non-fibrous (1344-28-1)	
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
Skin corrosion/irritation :	Causes skin irritation.
aluminium oxide, non-fibrous (1344-28-1)	
рН	9 – 10.5 (aqueous suspension, 33 %)
Calcium Aluminate Cement (65997-16-2)	
рН	≤ 13
cristobalite (14464-46-1)	
рН	6 - 7
Serious eye damage/irritation :	Causes eye irritation.
aluminium oxide, non-fibrous (1344-28-1)	
рН	9 – 10.5 (aqueous suspension, 33 %)
Calcium Aluminate Cement (65997-16-2)	
рН	≤ 13
cristobalite (14464-46-1)	
pH	6 – 7
Respiratory or skin sensitization :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity : Reproductive toxicity :	May cause cancer (Inhalation). Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
Viscosity, kinematic :	No data available
aluminium oxide, non-fibrous (1344-28-1)	
Viscosity, kinematic	Not applicable (solid)
Symptoms/effects after inhalation :	May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.
Symptoms/effects after skin contact : Symptoms/effects after eye contact :	Causes skin irritation. Causes eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
aluminium oxide, non-fibrous (1344-28-1)	
LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

aluminium oxide, non-fibrous (1344-28-1)	
EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)
12.2. Persistence and degradability	
aluminium oxide, non-fibrous (1344-28-1)	
Persistence and degradability	Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
cristobalite (14464-46-1)	
Persistence and degradability	Mineral. Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
12.3. Bioaccumulative potential	
aluminium oxide, non-fibrous (1344-28-1)	
Bioaccumulative potential	No data available.
cristobalite (14464-46-1)	
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
aluminium oxide, non-fibrous (1344-28-1)	
Surface tension	No data available in the literature
Ecology - soil	No data available.
cristobalite (14464-46-1)	
Ecology - soil	No data available.
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Disposal methods	Do not displayed into the course
Product/Packaging disposal recommendations : SECTION 14: Transport information	Do not discharge into the sewer.
In accordance with DOT / TDG / IMDG / IATA Department of Transportation (DOT) In accordance with DOT Not regulated Transportation of Dangerous Goods Not regulated Transport by sea Not regulated Air transport Not regulated	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All components of this product are present and listed a (TSCA) inventory	s Active on the United States Environmental Protection Agency Toxic Substances Control Act

aluminium oxide, non-fibrous (1344-28-1)

Not subject to reporting requirements of the United States SARA Section 313

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5	5	· • • •					
aluminium oxid	e, non-fibro	us (1344-28-1)					
Note	Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.						
15.2. Internation	al regulation	ns					
CANADA							
aluminium oxid	e, non-fibro	us (1344-28-1)					
Listed on the Cana	adian DSL (Do	mestic Substances Lis	st)				
Calcium Alumir	nate Cement	: (65997-16-2)					
Listed on the Cana	adian DSL (Doi	mestic Substances Lis	st)				
cristobalite (144	464-46-1)						
	adian DSL (Doi	mestic Substances Lis	st)				
EU-Regulations No additional inform National regulation No additional inform	ns						
15.3. US State re							
Unicrete 94 (Mix	 xture)						
-	S California - Proposition 65 - Other information Cancer. For more information go to WWW.P65Warnings.ca.gov				of California to cause		
cristobalite (144	464-46-1)						
U.S California - Proposition 65 - Carcinogens List	Prop	- California - osition 65 - elopmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)	
Yes	No		No	No			
	I			1	I		
Component	(40	44.00.4	State or local regul	ations	New Jaman Disk	ta Kaasu Usaandassa	
aluminium oxide, non-fibrous (1344-28-1)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List					
Cristobalite (14464-46-1)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List					
SECTION 16: 0	Other infor	mation					
according to Federa Revision date Other information	al Register / Vo	:	y, March 26, 2012 / Rule 12/11/2023 Report language name.	English. In the event of	any conflict between E	nglish and other langua	
Full text of H-phra	ases		versions, the English ve	rsion shall prevail.			
H315	Causes skin	irritation					
	Causes eve irritation						
H320							
H350	May cause cancer						
foty Data Shoot (

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.